

## Catalogue of American Amphibians and Reptiles.

Townsend, J.H., J.R. McCranie, and L.D. Wilson. 2004. *Corytophanes cristatus*.

***Corytophanes cristatus* (Merrem)**  
Smoothhead Helmeted Basilisk, Turipache Selvático

*Agama cristata* Merrem 1820:50. Type locality, "Ceylona" [in error]; holotype originally in the Seba collection (based on Plate 94, Fig. 4 in Vol. 1 of Seba 1734).

*Corytophanes cristata*: Boie in Schlegel 1827:290 (by inference).

*Corytophanes cristata*: Wagler 1830:151 (by inference).

*Cyrtophanus Cristatus*: Gray 1831:55. *Lapsus*.

*Corytophanus cristatus*: Gravenhorst 1833:938. *Lapsus*.

*Corytophanes cristatus*: Gravenhorst 1833:947.

*Corytophanes cristatus*: Herrera 1899:21.

*Corytophanes cristatus*: Elter 1981:63. *Lapsus*.

*Corytophanes percristatus*: Arnold 1994:512 (part?). *Lapsus*.

*Corytophanes cristatus*: Sehnal 1996:108. *Lapsus*.

• **CONTENT.** No subspecies are recognized.

• **DEFINITION.** *Corytophanes cristatus* is a moderately large corytophanine lizard (maximum SVL ~125 mm) with a long tail (~2.0–2.5 times SVL), a laterally compressed body, and a triangular-shaped cephalic casque projecting posteriorly past the head. The canthus is raised into a sharp ridge that forms a raised shelf above the eye and continues posteriorly to form a distinct raised casque. The ridges forming the posterior edge of the casque unite and after about 20–30 mm (in adults) taper downward onto the neck. The ridge is continuous with a long, well-developed nuchal crest. Deep frontal and parietal depressions are present. Dorsal head scales vary from smooth to weakly rugose. A squamosal spine is absent above the tympanum, although an enlarged scale, strongly keeled to rounded above, usually is present. The nasal scale is single, the nostril is located more or less centrally in the scale, and the opening is directed posterolaterally. Gular scales are elongate, strongly keeled, and the medial row is distinctly enlarged and strongly serrated. The gular fold is complete and continuous with the antehumeral fold. Dorsal body scales are imbricate and usually smooth. Individual




**FIGURE.** Juvenile (top: USNM 559556) from Bodega de Río Tapalwás, and adult (USNM 559547) from Caño Awawás, Depto. Gracias a Dios, Honduras (photographs by JHT).

dorsal scales can be much larger than surrounding scales. Lateral body scales are imbricate and usually smooth; most lateral body scales are smaller than dorsal scales. The middorsal scale row is enlarged, forming a serrated dorsal crest with triangular-shaped scales extending from the shoulder region to the base of the tail; the middorsal crest is more prominent anteriorly and is continuous with the well-developed nuchal crest. A serrated row of scales forms a distinct to indistinct ventrolateral fold. Ventral scales are large, imbricate, and strongly keeled with rounded to broadly rounded posterior ends; some ventral scales also are mucronate. Subdigital scales are strongly keeled. Caudal autotomy is absent. Femoral and preanal pores are absent.

Dorsal surfaces usually have some pale olive green to darker green pigment. Olive brown to black crossbands usually are present on the body. These lizards are capable of changing color to brown or nearly black. The iris is ochre to copper in color.

• **DIAGNOSIS.** *Corytophanes cristatus* can be distinguished from *C. hernandesii* by having a well-developed nuchal crest that is continuous with the middorsal crest and by lacking a squamosal spine, and from *C. percarinatus* by having smooth



**MAP.** Distribution of *Corytophanes cristatus*: dots indicate known localities; the type locality is unknown.

to weakly rugose head scales and by lacking a squamosal spine. The species differs from other corytophanids by having a triangular-shaped head casque projecting posteriorly past the head. The casque is formed by sharply raised ridges extending from the canthal region, above the eye, and continuing posteriorly to form a raised casque. The ridges forming the posterior edge of the casque unite and after 20–30 mm (in adults) taper downward onto the neck.

• **DESCRIPTIONS.** Detailed descriptions are in Gravenhorst (1833), Duméril and Bibron (1837), Duméril and Duméril (1851), Duméril et al. (1874), Boulenger (1885), Taylor (1956), Lang (1989a), Lee (1996, 2000), Campbell (1998), Köhler (1999a), and Savage (2002).

• **ILLUSTRATIONS.** Color photographs are in Breen (1974), Kundert (1974), Oostveen (1974a,b), Kästle (1975), Lucassen (1976), Sprackland (1977), Lüthi-Müller (1978), Wynne (1981), Bartlett (1988), Obst et al. (1988), Villa et al. (1988), Polouček (1992), Gradstein and Equihua (1995, epizoic growth on the head), W. Schmidt and Henkel (1995, also as *C. hernandezii*), Lee (1996, 2000), Sehnel (1996), Lamar (1997), Campbell (1998), Crumly et al. (1998), Franzen (1999), Köhler (1999a, 2000, 2001, 2003), Renjifo and Lundberg (1999), Stafford and Meyer (1999), Turvey and Cooper (1999), Krywicki (2001), Leenders (2001, 2002), Zug et al. (2001), Savage (2002), Pianka and Vitt (2003), Pough et al. (2003), and Townsend et al. (2004). **Black and white photographs** are in Davis (1953, defensive displays and posture), Taylor (1956), Mertens (1960), Neill (1961), Ream (1964, eggs), Oostveen (1974a), Lucassen (1976), Lüthi-Müller (1978), Andrews (1979), Bock (1987, female excavating nest), Krijnen (1987), Lazcano-Berrero and Góngora-Aronés (1993; adult, egg clutch, and scat), Emmons et al. (1996), Resetar and Voris (1997), Köhler (1999b), Crump (2000), and Pough et al. (2001). **Black and white drawings** are in Gravenhorst (1833; adult, dorsal, lateral, and ventral views of head), A.H.A. Duméril (1856; lateral surface of head and forebody, skull), Werner (1896, lateral surface of head), Bellairs (1970, defensive posture), Carpenter and Ferguson (1977, display posture), Lang (1989a; palatal, dorsal, and lateral views of skull, sclerotic ring, angular process, posterior marginal teeth, pectoral girdle, lateral surface of head), Hallermann (1994, anatomy of ethmoidal region), Lee (1996, 2000; lateral surface of head), Savage (2002, anterior superciliary scales), and Köhler (2003, lateral view of head). **SEM photographs** are in Lang (1989b, suborbital scale microstructure) and Schleich and Kastle (1985, subdigital setae). Schwenk et al. (1982) illustrated the **karyotype**.

• **DISTRIBUTION.** *Corytophanes cristatus* occurs from the Yucatán Peninsula and Chiapas, México to northwestern Colombia on the Atlantic versant, west-central Costa Rica to central Panamá on the Pacific versant, and marginally on the Pacific versant in northwestern Costa Rica (see **Remarks**). This species is found at elevations from sea level to about 1300 m and inhabits mesic tropical and subtropical forests.

• **FOSSIL RECORD.** None.

• **PERTINENT LITERATURE.** References are listed by topic: **literature reviews** (Smith and Smith 1976, 1993), **anatomy** (Lynn et al. 1966, Moody 1983, Schleich and Kastle 1985), **functional morphology** (Zani 1996, 2000), **dentition** (Olson et al. 1986, 1987), **osteology** (Etheridge 1965; de Queiroz 1987; Hallermann 1994, 1998), **eye morphology** (de Queiroz 1982), **microanatomy of scales** (Lang 1989b), **hemipenis** (Böhme 1988), **hindlimb functional morphology** (Snyder 1954), **loco-**

**motion** (Snyder 1952), **karyotype** (Schwenk et al. 1982), **sexual size dimorphism** (Fitch 1981), **diet and foraging** (Andrews 1979, 1983; Vitt and Zani 1998; Sasa and Monrós 2000; Pough et al. 2001, 2003), **absence of prey chemical discrimination** (Cooper 1999), **reproduction and nesting** (Duellman 1963, Ream 1964, McCoy 1968, Fitch 1970, Telford 1971, Bock 1987, Lazcano-Berrero and Góngora-Aronés 1993, Franzen 1999), **occurrence in leaf litter** (Scott 1976, Lieberman 1986), **defensive and display behavior** (Davis 1953, Carpenter and Ferguson 1977, Ferguson 1977, Greene 1988), **epizoic and epiphytic associations** (Gradstein and Equihua 1995, Leenders 2002), **parasites** (Guerrero et al. 1977; Telford 1977; Kournay and Telford 1981, 1982; Kimsey 1992; Asmundsson 2003), **lifespan** (Altman and Dittmer 1962, Bowler 1977, Snider and Bowler 1992, Slavens and Slavens 1998), **conservation status** (Franke and Telecky 2001, Wilson and McCranie 2004), **captive breeding and husbandry** (Oostveen 1974a,b; Lucassen 1976; Lüthi-Müller 1978; Krijnen 1987; Polouček 1992; Köhler et al. 1994), **ethnozoology** (Malkin 1956), **phylogenetic relationships** (Frost and Etheridge 1989, by inference; Harris et al. 2001; Schulte et al. 2003), and **native use as a food source and for insect control** (Góngora-Aronés 1987).

Lang (1989a) provided a **taxonomic review and phylogenetic analysis**. Comments on **biogeography** are in Stuart (1950), Campbell (1983), and Johnson (1989). This species is included in various **keys, faunal lists, or notes on distribution**: Cope (1875a,b, 1887), Günther (1885), Boulenger (1913), Fowler (1916), Barbour (1923), Burt and Burt (1931, 1933), Burt (1932), Dunn and Emlen (1932), Schmidt (1933, 1941), Stuart (1934, 1935, 1948, 1958, 1963), Gaige et al. (1937), Smith (1938), Dunn (1944), Smith and Taylor (1950), Taylor (1956), Neill and Allen (1959), Duellman (1963), Neill (1965), Ortleb and Heatwole (1965), Heyer (1967), Medem (1968), Myers and Rand (1969), McCoy (*in* Peters and Donoso-Barros 1970), Meyer and Wilson (1973), Henderson and Hoervers (1975), Lee (1980, 1996, 2000), Perez-Higareda and Navarro L. (1980), Alvarez del Toro (1982), Campbell (1983, 1998, 2001), Scott et al. (1983), Villa (1983), Wilson (1983), Ayala (1986), Savage and Villa R. (1986), Villa et al. (1988), Campbell and Vannini (1989), Hayes et al. (1989), Mendelson (1990), Rand and Myers (1990), Stafford (1991), Flores-Villela (1993), Auth (1994), Guyer (1994), Stafford (1994), Wilson and McCranie (1994, 2002), da Silva and Sites (1995), Flores-Villela et al. (1995), Frank and Ramus (1995), Sanchez-C. et al. (1995), Emmons et al. (1996), Kamstra et al. (1996), Ruiz-Pérez (1996), Vitt (1996), Aranda and Guzman (1999), Köhler (1999a,b, 2000, 2001, 2003), Stafford and Meyer (1999), Turvey and Cooper (1999), Vargas-S. and Bolanos-L. (1999), Young et al. (1999), Pounds and Fogden (2000), Burger (2001), Espinal et al. (2001), Ibáñez D. et al. (2001), Lewis (2001), Wilson et al. (2001), McCranie et al. (2002), Savage (2002), and Cedeño-Vásquez et al. (2003).

• **REMARKS.** Smith and Taylor (1950a,b) restricted the type locality to “Orizaba, Veracruz [México].” Their apparent source for this restriction was Cope (1865), who reported *Corythaëolus cristatus* (equals *Corytophanes cristatus*, according to Smith and Smith 1976) from “Orizava, Mexico.” However, the identification of Cope’s specimen is questionable, as he included after *Corythaëolus cristatus* “(*Thysanodactylus*, Gray, *Dracontura*, Hallow).” *Thysanodactylus* Gray is a junior synonym of *Basiliscus* Laurenti and “*Dracontura* Hallow” apparently was a *lapsus* by Cope for *Daconura* Hallowell, also a junior synonym of *Basiliscus*. Additional evidence supporting Cope’s specimen being a *Basiliscus* is that no specimens of *Corytophanes cristatus* from Veracruz, México are in the collection of the U.S. National Museum, where Cope’s specimens were supposed to have been deposited (see Cope 1865). In fact, no specimens of *C.*

*cristatus* from Veracruz are in any U.S. museum, and the species apparently is not known to occur there (see Pelcastre Villafuerte and Flores-Villela 1992). Smith and Taylor (1950a) stated that *C. cristatus* occurred on the “Atlantic slopes from central Veracruz to Costa Rica.” Similar range statements erroneously including “central Veracruz” still occur in much of the recent literature (e.g., Lee 1996, 2000; Campbell 1998; Köhler 2001, 2003; Savage 2002). Lang (1989a), in the most recent systematic study of the genus, included central Veracruz in the species’ range, but did not plot corresponding localities on his map.

• **ETYMOLOGY.** The specific epithet *cristatus* is Latin (meaning “tufted” or “crested”), alluding to either the occipital or middorsal crests found in this species.

• **COMMENT.** The common names Smoothhead Helmeted Basilisk and Turipache Selvático follow Liner (1994). Herrera (1899) and Aranda and Guzman (1999) provided the colloquialisms “pasa-rios” and “teterete,” respectively, for this species.

• **ACKNOWLEDGEMENTS.** K.F. Emery, S.W. Gotte, G. Köhler, and M. Veselý provided some hard-to-find literature. N. Gilmore (Academy of Natural Sciences of Philadelphia), C. McCarthy (British Museum (Natural History)), and G. Schneider (University of Michigan Museum of Zoology) provided locality data for museum specimens from Colombia.

#### LITERATURE CITED

- Altman, P.L. and D.S. Dittmer (eds.). 1962. Growth including reproduction and development. Fed. Amer. Soc. Exp. Biol., Washington, D.C.
- Alvarez del Toro, M. 1982. Los Reptiles de Chiapas. Tercera Edición, corregida y aumentada. Publ. Inst. Hist. Nat., Tuxtla Gutiérrez, Chiapas.
- Andrews, R.M. 1979. The lizard *Corytophanes cristatus*: an extreme “sit and wait” predator. *Biotropica* 11:136–139.
- . 1983. *Norops polylepsis*, p.409–410. In D.H. Janzen (ed.), Costa Rican Natural History. Univ. Chicago Press, Chicago, Illinois.
- Aranda, M. and S. Guzman. 1999. Listado faunístico de la Reserva de la Biosfera Calakmul, p. 163–176. In W.J.F. Higgins, M.C. Sanchez Gonzalez, and J.M. Garcia Ortega (eds.), *Naturaleza y Cultura en Calakmul, Campeche*. CIHS, Univ. Auton. Campeche.
- Arnold, E.N. 1994. Investigating the evolutionary effects of one feature on another: does muscle spread suppress caudal autotomy in lizards? *J. Zool. Lond.* 232:505–523.
- Asmundsson, I.M. 2003. Eimeriid parasites of Guatemalan reptiles and amphibians, and their phylogenetic relationship to other eimeriid parasites. Unpubl. Ph.D. Diss., Univ. New Mexico, Albuquerque.
- Auth, D.L. 1994. Checklist and bibliography of the amphibians and reptiles of Panama. *Smithsonian Herpetol. Info. Serv.* (98):1–59.
- Ayala, S.C. 1986. Saurios de Colombia: lista actualizada, y distribución de ejemplares Colombianos en los museos. *Caldasia* 15:555–575.
- Barbour, T. 1923. Notes on reptiles and amphibians from Panama. *Occ. Pap. Mus. Zool. Univ. Michigan* (129):1–16.
- Bartlett, R.D. 1988. In Search of Reptiles and Amphibians. E.J. Brill, Leiden.
- Bellairs, A. 1970. *The Life of Reptiles*. Volume II. Universe Books, New York.
- Bock, B.C. 1987. *Corytophanes cristatus*. *Nesting. Herpetol. Rev.* 18:35.
- Böhme, W. 1988. Zur Genitalmorphologie der Sauria: funktionelle und stammesgeschichtliche Aspekte. *Bonner Zool. Monogr.* (27):1–176.
- Boulenger, G.A. 1885. Catalogue of the Lizards in the British Museum (Natural History). Vol. II. 2<sup>nd</sup> ed. Trustees of the British Museum (Natural History), London.
- . 1913. On a collection of batrachians and reptiles made by Dr. H.G.F. Spurrell, F.S.Z., in the Choco, Columbia. *Proc. Zool. Soc. Lond.* 1913:1019–1038 + 7 pls.
- Bowler, J.K. 1977. Longevity of reptiles and amphibians in North American collections. *SSAR Herpetol. Circ.* (6):iv + 32 p.
- Breen, J.F. 1974. *Encyclopedia of Reptiles and Amphibians*. T.F.H. Publ., Inc., Neptune City, New Jersey.
- Burger, R.M. 2001. The herpetofauna of Cano Palma Biological Station, Tortuguero, Costa Rica. *Bull. Chicago Herpetol. Soc.* 36:243–253.
- Burt, C.E. 1932. Comments on some lizards from Colombia. *Trans. Amer. Microsc. Soc.* 51:209–216.
- and M.D. Burt. 1931. South American lizards in the collection of the American Museum of Natural History. *Bull. Amer. Mus. Nat. Hist.* 61:227–395.
- and —. 1933. A preliminary check list of the lizards of South America. *Trans. Acad. Sci. St. Louis* 28(1):v + 104 p.
- Campbell, J.A. 1983. The biogeography of the cloud forest herpetofauna of Middle America, with special reference to the Sierra de Las Minas of Guatemala. Unpubl. Ph.D. Diss., Univ. Kansas, Lawrence.
- . 1998. Amphibians and Reptiles of Northern Guatemala, the Yucatán, and Belize. Univ. Oklahoma Press, Norman.
- . 2001. The herpetofauna of the mesic upland forests of the Sierra de Las Minas and Montañas del Mico of Guatemala, p. 80–92. In J.D. Johnson, R.G. Webb, and O.A. Flores-Villela (eds.), *Mesoamerican Herpetology: Systematics, Zoogeography, and Conservation*. Centennial Mus. Univ. Texas-El Paso, Spec. Publ. (1):v + 200 p.
- and J.P. Vannini. 1989. Distribution of amphibians and reptiles in Guatemala and Belize. *Proc. West. Found. Vert. Zool.* 4:1–21.
- Carpenter, C.C. and G.W. Ferguson. 1977. Variation and evolution of stereotyped behavior in reptiles. Part I. A survey of stereotyped reptilian behavioral patterns, p. 335–403. In C. Gans and D.W. Tinkle (eds.), *Biology of the Reptilia*. Vol. 7. Ecology and Behaviour A. Academic Press, London.
- Cedeño-Vásquez, J.R., R. Calderón, and C. Pozo. 2003. New distributional records for amphibians and reptiles from Quintana Roo on the Yucatán Peninsula, México. *Herpetol. Rev.* 34:393–395.
- Cooper, W.E., Jr. 1999. Prey chemical discrimination in ambush foragers: absence in representatives of two additional iguanian lizard families and probable olfactory mediation in a gekkonine gecko. *Chemoecology* 9:155–159.
- Cope, E.D. 1865. Third contribution to the herpetology of tropical America. *Proc. Acad. Nat. Sci. Philadelphia* 17:185–198.
- . 1875a (“1876”). On the Batrachia and Reptilia of Costa Rica. *J. Acad. Nat. Sci. Philadelphia* (n.s.) 8:93–154, pls. 23–28.
- . 1875b (“1876”). On the Batrachia and Reptilia collected by Dr. John M. Bransford during the Nicaraguan Canal Survey of 1874. *J. Acad. Nat. Sci. Philadelphia*, 8(n.s.):155–157.
- . 1887. Catalogue of batrachians and reptiles of Central America and Mexico. *Bull. U.S. Natl. Mus.* 32:1–98.
- Crumly, C.R., H.G. Cogger, and R.G. Zweifel (eds.). 1998. *Encyclopedia of Reptiles & Amphibians*. 2<sup>nd</sup> ed. Academic Press, San Diego, California.
- Crump, M. 2000. In Search of the Golden Frog. Univ. Chicago Press, Chicago, Illinois.
- da Silva, N.J., Jr. and J.W. Sites, Jr. 1995. Patterns of diversity of Neotropical squamate reptile species with emphasis on the Brazilian Amazon and the conservation potential of indigenous reserves. *Conserv. Biol.* 9:873–901.
- Davis, D.D. 1953. Behavior of the lizard *Corytophanes cristatus*. *Fieldiana Zool.* 35:1–8.
- de Queiroz, K. 1982. The scleral ossicles of sceloporine iguanids: a reexamination with comments on their phylogenetic significance. *Herpetologica* 38:302–311.
- . 1987. Phylogenetic systematics of iguanine lizards: a comparative osteological study. Univ. California Publ. Zool. 118:xii + 203 p.
- Duellman, W.E. 1963. Amphibians and reptiles of the rainforests of southern El Petén, Guatemala. *Univ. Kansas Mus. Nat. Hist. Publ.* 15:205–249, pls. 7–10.
- Duméril, A.H.A. 1856. Description des reptiles nouveaux ou imparfaitement connus de la collection du Muséum d’Histoire Naturelle et remarques sur la classification et les caractères des reptiles. Deuxième mémoire. Troisième, quatrième et cinquième familles de l’ordre des sauriens (Geckotiens, Varaniens et Iguaniens). *Arch. Mus. Natn. Hist. Nat., Paris* 8:437–588, pls. 17–24.
- , M.-F. Bocourt, and F. Mocquard. 1870–1909. *Études sur les Reptiles*. Mission Scientifique au Mexique et dans l’Amérique Centrale. *Recherches Zoologiques pour servir à l’Histoire de la Faune de l’Amérique Centrale et du Mexique*. Troisième Partie.—1<sup>re</sup> Section. Texte. Imprimerie Nationale, Paris.
- Duméril, A.M.C. and G. Bibron. 1837. *Erpétologie Générale ou Histoire*

- Naturelle Complète des Reptiles. Tome Quatrième. Contenant l'Histoire de Quarante-Six Genres et de Cent Quarante-Six Espèces de la Famille des Iguaniens, de l'Ordre des Sauriens. Libr. Encyclopédique Roret, Paris.
- and A.H.A. Duméril. 1851. Catalogue Methodique de la Collection des Reptiles. Mus. d'Hist. Nat., Paris.
- Dunn, E.R. 1944. Los generos de anfibios y reptiles de Colombia, II. Segunda parte: Reptiles, orden de los saurios. *Caldasia* 3:73–110.
- and J.T. Emlen, Jr. 1932. Reptiles and amphibians from Honduras. *Proc. Acad. Nat. Sci. Philadelphia* 84:21–32.
- Elder, O. 1981. La collezione Erpetologica del Museo di Zoologia dell'Università di Torino. *Mus. Reg. Sci. Nat., Torino. Cataloghi* V:1–116.
- Emmons, K.M., R.H. Horwich, J. Kamstra, E. Sagui, J. Beveridge, T. McCarthy, J. Meerman, S.C. Silver, I. Pop, F. Koontz, E. Pop, H. Sagui, L. Ostro, P. Pixabaj, D. Beveridge, and J. Lumb (eds.). 1996. Cockscomb Basin Wildlife Sanctuary: Its History, Flora, and Fauna for Visitors, Teachers, and Scientists. Belize National Audubon Soc., Belize City.
- Espinal, M.R., J.R. McCranie, and L.D. Wilson. 2001. The herpetofauna of Parque Nacional La Muralla, Honduras, p. 100–108. In J.D. Johnson, R.G. Webb, and O.A. Flores-Villela (eds.). *Mesoamerican Herpetology: Systematics, Zoogeography, and Conservation. Centennial Mus. Univ. Texas-El Paso, Spec. Publ. (1):iv + 200 p.*
- Etheridge, R. 1965. The abdominal skeleton in lizards in the family Iguanidae. *Herpetologica* 21:161–168.
- Ferguson, G.W. 1977. Variation and evolution of stereotyped behavior in reptiles. Part II. Social displays of reptiles: communications value, ultimate causes of variation, taxonomic significance and heritability of population differences, p. 405–554. In C. Gans and D.W. Tinkle (eds.), *Biology of the Reptilia. Vol. 7. Ecology and Behaviour* A. Academic Press, London.
- Fitch, H.S. 1970. Reproductive cycles in lizards and snakes. *Univ. Kansas Mus. Nat. Hist., Misc. Publ. (52):1–247.*
- . 1981. Sexual size differences in reptiles. *Univ. Kansas Mus. Nat. Hist., Misc. Publ. (70):1–72.*
- Flores-Villela, O. 1993. Herpetofauna Mexicana. Lista anotada de las especies de anfibios y reptiles de México, cambios taxonómicos recientes, y nuevas especies. Annotated list of the species of amphibians and reptiles of Mexico, recent taxonomic changes, and new species. *Carnegie Mus. Nat. Hist. Spec. Publ. (17):iv + 73 p.*
- , F. Mendoza Quijano, and G. Gonzalez Porter (comp.). 1995. Recopilación de claves para la determinación de anfibios y reptiles de México. *Publ. Espec. Mus. Zool., Univ. Autón. México (10):iv + 285 p.*
- Fowler, H.W. 1916. Cold-blooded vertebrates from Costa Rica and the Canal Zone. *Proc. Acad. Nat. Sci. Philadelphia* 1916:389–414.
- Frank, N. and E. Ramus. 1995. *A Complete Guide to the Scientific and Common Names of Reptiles and Amphibians of the World.* NG Publ., Inc., Pottsville, Pennsylvania.
- Franke, J. and T.M. Telecky. 2001. Reptiles as Pets: An Examination of the Trade in Live Reptiles in the United States. *Humane Soc. U.S., Washington, D.C.*
- Franzen, M. 1999. Freilandbeobachtungen an einem Gelege von *Corytophanes cristatus* (Merrem, 1821) in Costa Rica. *Herpetofauna* 21:22–24.
- Frost, D.R. and R. Etheridge. 1989. A phylogenetic analysis and taxonomy of iguanian lizards (Reptilia: Squamata). *Univ. Kansas Mus. Nat. Hist., Misc. Publ. (81):1–65.*
- Gaige, H.T., N. Hartweg, and L.C. Stuart. 1937. Notes on a collection of amphibians and reptiles from eastern Nicaragua. *Occ. Pap. Mus. Zool., Univ. Michigan (357):1–18.*
- Góngora-Aronés, E. 1987. Etnozoológia Lacandona: la herpetofauna de Lacanjá-Chansayab. *Cuad. Divulg. Inireb* 31:1–31.
- Gradstein, S.R. and C. Equihua. 1995. An epizoic bryophyte and algae growing on the lizard *Corytophanes cristatus* in Mexican rain forest. *Biotropica* 27:265–268.
- Gravenhorst, J.L.C. 1833. Über *Phrynosoma orbicularis*, *Trapelus hispidus*, *Phrynocephalus helioscopus*, *Corytophanes cristatus*, und *Chamaeleopsis hernandesii*. *Nova. Acta Acad. Caesar Leop. Carol., Halle* 16:911–958, pls. 63–65.
- Gray, J.E. 1831. A synopsis of the species of the class Reptilia, p. 1–110. In E. Griffith and E. Pidgeon, *The Class Reptilia Arranged by the Baron Cuvier, with Specific Descriptions.* Whittaker, Treacher, and Co., London.
- Greene, H.W. 1988. Antipredator mechanisms in reptiles, p. 1–152. In C. Gans and R.B. Huey (eds.), *Biology of the Reptilia. Vol. 16. Ecology B. Defense and Life History.* Alan R. Liss, Inc., New York.
- Guerrero, S., C. Rodriguez, and S.C. Ayala. 1977. Prevalencia de hemoparasitos en lagartijas de la Isla Barro Colorado, Panama. *Biotropica* 9:118–123.
- Günther, A.C.L.G. 1885. Reptilia and Batrachia, p. 33–56. In O. Salvin and F.D. Godman (eds.), *Biologia Centrali-Americana; or, Contributions to the Knowledge of the Fauna and Flora of Mexico and Central America.* R.H. Porter and Dulau & Co., London.
- Guyer, C. 1994. Reptiles, p. 382–383. In L.A. McDade, K.S. Bawa, H.A. Hespenheide, and G.S. Hartshorn (eds.), *La Selva: Ecology and Natural History of a Neotropical Rain Forest.* Univ. Chicago Press, Chicago, Illinois.
- Hallermann, J. 1994. Zur Morphologie der Ethmoidalregion der Iguania (Squamata) — eine vergleichend-anatomische Untersuchung. *Bonner Zool. Monogr. (35):1–133.*
- . 1998. The ethmoidal region of *Dibamus taylori* (Squamata: Dibamidae), with a phylogenetic hypothesis on dibamid relationships within Squamata. *Zool. J. Linn. Soc.* 122:385–426.
- Harris, D.J., J.C. Marshall, and K.A. Crandall. 2001. Squamate relationships based on C-mos nuclear DNA sequences: increased taxon sampling improves bootstrap support. *Amphib.-Rept.* 22: 235–242.
- Hayes, M.P., J.A. Pounds, and W.W. Timmerman. 1989. An annotated list and guide to the amphibians and reptiles of Monteverde Costa Rica. *SSAR Herpetol. Circ. (17):ii + 67 p.*
- Henderson, R.W. and L.G. Hoevers. 1975. A checklist and key to the amphibians and reptiles of Belize, Central America. *Milwaukee Pub. Mus. Contrib. Biol. Geol. (5):1–63.*
- Herrera, A.L. 1899. Sinonimia vulgar y científica de los principales vertebrados Mexicanos. *Ofic. Topog. Secr. Fomento, México, D.F.*
- Heyer, W.R. 1967. A herpetofaunal study of an ecological transect through the Cordillera de Tilarán, Costa Rica. *Copeia* 1967:259–271.
- Ibáñez D., R., F.A. Solís, C.A. Jaramillo, and A.S. Rand. 2001. An overview of the herpetofauna of Panama, p. 159–170. In J.D. Johnson, R.G. Webb, and O.A. Flores-Villela (eds.), *Mesoamerican Herpetology: Systematics, Zoogeography, and Conservation. Centennial Mus. Univ. Texas-El Paso, Spec. Publ. (1):iv + 200 p.*
- Johnson, J.D. 1989. A biogeographic analysis of the herpetofauna of northwestern nuclear Central America. *Milwaukee Pub. Mus. Contrib. Biol. Geol. (76):1–66.*
- Kamstra, J., T. McCarthy, and J. Meerman. 1996. Amphibian and reptile lists, p. 307–309. In K.M. Emmons, R.H. Horwich, J. Kamstra, E. Sagui, J. Beveridge, T. McCarthy, J. Meerman, S.C. Silver, I. Pop, F. Koontz, E. Pop, H. Sagui, L. Ostro, P. Pixabaj, D. Beveridge, and J. Lumb (eds.), *Cockscomb Basin Wildlife Sanctuary: Its History, Flora, and Fauna for Visitors, Teachers, and Scientists.* Belize National Audubon Soc., Belize City.
- Kästle, W. 1975. The iguanids, p. 177–203. In B. Grzimek, H. Hediger, K. Klemmer, O. Kuhn, and H. Wermuth (eds.), *Grzimek's Animal Life Encyclopedia. Vol. 6. Reptiles.* Van Nostrand Reinhold Co., New York.
- Kimsey, R. 1992. Host association and the capacity of sand flies as vectors of lizard malaria in Panama. *Intl. J. Parasitol.* 22:657–664.
- Köhler, G. 1999a. Basilisken. Helmleguane und Kronenbasilisken. *Lebensweise • Pflege • Zucht. 2., neu bearbeitete, stark erweiterte Auflage.* Herpeton, Verlag Elke Köhler, Offenbach.
- . 1999b. The amphibians and reptiles of Nicaragua. A distributional checklist with keys. *Cour. Forsch.-Inst. Senckenberg (213):1–121.*
- . 2000. Reptilien und Amphibien Mittelamerikas. Band 1: Krokodile • Schildkröten • Echsen. *Herpeton, Verlag Elke Köhler, Offenbach.*
- . 2001. Anfibios y Reptiles de Nicaragua. *Herpeton, Verlag Elke Köhler, Offenbach.*
- . 2003. Reptiles of Central America. *Herpeton, Verlag Elke Köhler, Offenbach.*
- , D. Rittmann, and F. Ihringer. 1994. Pflege und Zucht des Helmleguans *Corytophanes cristatus* (Merrem 1821). *Iguana-Rundschreiben* 7:43–47.
- Kounoy, M. and S.R. Telford. 1981. Lizards in the ecology of salmonellosis in Panama. *Appl. Environ. Microbiol.* 41:1248–1253.
- and —. 1982. *Salmonella* and *Arizona* infections of alimentary and reproductive tracts of Panamanian lizards. *Infect. Immunol.* 36:432–434.
- Krijnen, H. 1987. Het houden en kweken van helmleguannen (*Corytophanes cristatus*). *Lacerta* 45:140–141.

- Krywicky, J. 2001. Sunlight in the rain forest. *Reptiles Mag.* 9(3):10–27.
- Kundert, F. 1974. Fascination. Schlangen und Echsen. Serpents et Lézards. Snakes and Lizards. Verlag F. Kundert, Spreitenbach.
- Lamar, W.W. 1997. The World's Most Spectacular Reptiles and Amphibians. World Publ., Tampa, Florida.
- Lang, M. 1989a. Phylogenetic and biogeographic patterns of basiliscine iguanians (Reptilia: Squamata: "Iguanidae"). *Bonner Zool. Monog.* (28):1–172.
- . 1989b. The morphology of the Oberhäutchen with the description and distribution of scale organs in basiliscine iguanians. *Amphib.-Rept.* 10:423–434.
- Lazcano-Berrero, M.A. and E. Góngora-Aronés. 1993. Observation and review of the nesting and egg laying of *Corytophanes cristatus* (Iguanidae). *Bull. Maryland Herpetol. Soc.* 29:67–75.
- Lee, J.C. 1980. An ecogeographic analysis of the herpetofauna of the Yucatan Peninsula. *Univ. Kansas Mus. Nat. His., Misc. Publ.* (67):1–75.
- . 1996. The Amphibians and Reptiles of the Yucatán Peninsula. Cornell Univ. Press, Ithaca, New York.
- . 2000. A Field Guide to the Amphibians and Reptiles of the Maya World: The Lowlands of Mexico, Northern Guatemala, and Belize. Cornell Univ. Press, Ithaca, New York.
- Leenders, T. 2001. A Guide to Amphibians and Reptiles of Costa Rica. Distrib. Zona Tropical, S.A., Miami.
- . 2002. Reptilian flowerpot: Now that's using your head. *Fauna* 3(4):30–31.
- Lewis, T.R. 2001. The herpetofauna of La Suerte Biological Field Station, Cariari, Costa Rica; an updated field list with notes on species recorded in 1998. *Herpetol. Bull.* (76):10–20.
- Lieberman, S.S. 1986. Ecology of the leaf litter herpetofauna of a Neotropical rainforest: La Selva, Costa Rica. *Acta Zool. Mexicana (n.s.)* 15:1–72.
- Liner, E.A. 1994. Scientific and common names for the amphibians and reptiles of Mexico in English and Spanish. Nombres científicos y comunes en Inglés y Español de los anfibios y los reptiles de México. *SSAR Herpetol. Circ.* (23):v + 113 p.
- Lucassen, J. 1976. *Corytophanes cristatus*. *Het Aquarium* 47:32–34.
- Lüthi-Müller, H. 1978. Ein "Mini-Saurier" fürs Terrarium — der Helmleguan. *Aquarien Mag.* 12:226–228.
- Lynn, W.G., M.C. O'Brien, and P. Herhenreader. 1966. Thyroid morphology in lizards of the families Iguanidae and Agamidae. *Herpetologica* 22:90–93.
- Malkin, B. 1956. Sumu ethnozoology: herpetological knowledge. *Davidson J. Anthropol.* 2:165–180.
- McCoy, C.J. 1968. Reproductive cycles and viviparity in Guatemalan *Corytophanes percarinatus* (Reptilia: Iguanidae). *Herpetologica* 24:175–178.
- McCranie, J.R., F.E. Castañeda, and K.E. Nicholson. 2002. Preliminary results of herpetofaunal survey work in the Rus Rus region, Honduras: a proposed biological reserve. *Herpetol. Bull.* (81):22–29.
- Medem, F. 1968. El desarrollo de la herpetología en Colombia. *Rev. Acad. Colombiana Cien. Exac. Físic. Nat.* 13:149–199.
- Mendelson, J.R., III. 1990. Notas sobre una colección [sic] de anfibios y reptiles de Pueblo Viejo, Alta Verapaz, Guatemala. Notes on a collection of amphibians and reptiles from Pueblo Viejo, Alta Verapaz, Guatemala. *Fundac. Interamer. Investig. Trop., Publ. Ocas.* (3):1–18.
- Merrem, B. 1820. Versuch eines Systems der Amphibien. Tentamen Systematis Amphibiorum. J.C. Krieger, Marburg.
- Mertens, R. 1960. The World of Amphibians and Reptiles. McGraw-Hill Book Co., Inc., New York.
- Meyer, J.R. and L.D. Wilson. 1973. A distributional checklist of the turtles, crocodylians, and lizards of Honduras. *Nat. Hist. Mus. Los Angeles Co. Contrib. Sci.* (244):1–39.
- Moody, S.M. 1983. The rectus abdominis muscle complex of the Lacertilia: terminology, homology, and assumed presence in primitive iguanian lizards, p. 195–212. *In* A.G.J. Rhodin and K. Miyata (eds.), *Advances in Herpetology and Evolutionary Biology. Essays in Honor of Ernest E. Williams.* Mus. Comp. Zool., Harvard Univ., Cambridge, Massachusetts.
- Myers, C.W. and A.S. Rand. 1969. Checklist of amphibians and reptiles of Barro Colorado Island, Panama, with comments on faunal change and sampling. *Smithson. Contrib. Zool.* (10):1–11.
- Neill, W.T. 1961 (1960). Nature and man in British Honduras. *Maryland Nat.* 30:2–14.
- . 1965. New and noteworthy amphibians and reptiles from British Honduras. *Bull. Florida St. Mus.* 9:77–130.
- and R. Allen. 1959. Studies on the amphibians and reptiles of British Honduras. *Publ. Res. Div., Ross Allen's Reptile Inst.* 2(1):1–76.
- Obst, F.J., K. Richter, and U. Jacob. 1988. The Completely Illustrated Atlas of Reptiles and Amphibians for the Terrarium. T.F.H. Publ., Inc., Neptune City, New Jersey.
- Olson, R.E., B. Marx, and R. Rome. 1986. Descriptive dentition morphology of lizards of Middle and North America, I: Scincidae, Teiidae, and Helodermatidae. *Bull. Maryland Herpetol. Soc.* 22:97–124.
- , —, and —. 1987. Descriptive dentition morphology of lizards of Middle and North America II: Iguanidae. *Bull. Maryland Herpetol. Soc.* 23:12–34.
- Oostveen, H. 1974a. *Corytophanes cristatus* in de natuur en in het terrarium. *Het Aquarium* 44:268–273.
- . 1974b. *Corytophanes cristatus* in der natur und im terrarium. *Aquar. Terr. Zeitsch.* 27:100–103.
- Ortleb, E. and H. Heatwole. 1965. Comments on some Panamanian lizards with a key to the species from Barro Colorado Island, C.Z. and vicinity. *Carib. J. Sci.* 5:141–147.
- Pelcastre Villafuerte, L. and O.A. Flores-Villela. 1992. Lista de especies y localidades de recolección de la herpetofauna de Veracruz, México. *Publ. Espec. Mus. Zool., Univ. Nac. Autón. México* 4:25–96.
- Perez-Higareda, G. and D. Navarro L. 1980. The faunistic districts of the lowlands of Veracruz, Mexico, based on reptilian and mammalian data. *Bull. Maryland Herpetol. Soc.* 16:54–69.
- Peters, J.A. and R. Donoso-Barros. 1970. Catalogue of the Neotropical Squamata: Part II. Lizards and amphisbaenians. *Bull. U.S. Natl. Mus. Bull.* (297):v–viii + 293 p.
- Pianka, E.R. and L.J. Vitt. 2003. Lizards: Windows to the Evolution of Diversity. Univ. California Press, Berkeley.
- Polouček, R. 1992. Bazilišek *Corytophanes cristatus*. *Akvarium Terarium* 35(10):25–27.
- Pough, F.H., R.M. Andrews, J.E. Cadle, M.L. Crump, A.H. Savitsky, and K.D. Wells. 2001. *Herpetology*. 2<sup>nd</sup> ed. Prentice Hall, Upper Saddle River, New Jersey.
- , —, —, —, and —. 2003 ("2004"). *Herpetology*. 3<sup>rd</sup> ed. Pearson Prentice Hall, Upper Saddle River, New Jersey.
- Pounds, J.A. and M.P. Fogden. 2000. Amphibians and reptiles of Monteverde, p. 537–540. *In* N.M. Nadkarni and N.T. Wheelwright (eds.), *Monteverde: Ecology and Conservation of a Tropical Cloud Forest.* Oxford Univ. Press, New York.
- Rand, A.S. and C.W. Myers. 1990. The herpetofauna of Barro Colorado Island, Panama: an ecological summary, p. 386–409. *In* A.H. Gentry (ed.), *Four Neotropical Rainforests.* Yale Univ. Press, New Haven.
- Ream C.H. 1964. Notes on the behavior and egg laying of *Corytophanes cristatus*. *Herpetologica* 20:239–242.
- Renjifo, J.M. and M. Lundberg. 1999. *Guía de Campo. Anfíbios y Reptiles de Urrea.* Ed. Colina, Medellín, Colombia.
- Resetar, A. and H.K. Voris. 1997. Herpetology at the Field Museum of Natural History, Chicago: the first one hundred years, p. 495–506. *In* T.W. Pietsch and W.D. Anderson, Jr. (eds.), *Collection Building in Ichthyology and Herpetology.* ASIH Spec. Publ. (3):xiii + 593 p.
- Ruiz-Pérez, G.A. 1996. Claves Preliminares para Reconocer a los Reptiles de Nicaragua. Centro de Derecho Ambiental y Promoción Para el Desarrollo, Managua.
- Sanchez-C., H., O. Castaño-M., and G. Cardenas-A. 1995. Diversidad de los reptiles en Colombia, p. 277–325. *In* J.O. Rangel Ch. (ed.), *Colombia. Diversidad Biótica I. Clima. Centros de Concentración de Especies. Fauna. Reptiles, Aracnidos, Himenopteros.* Inst. Cienc. Nat., Inderena-Univ. Nac. Colombia, Bogotá.
- Sasa, M. and J.S. Monrós. 2000. Dietary analysis of Helmeted Basilisks, *Corytophanes* (Reptilia: Corytophanidae). *Southwest. Nat.* 45:358–361.
- Savage, J.M. 2002. The Amphibians and Reptiles of Costa Rica: A Herpetofauna between Two Continents, between Two Seas. Univ. Chicago Press, Chicago, Illinois.
- and J. Villa R. 1986. Introduction to the herpetofauna of Costa Rica. *Introducción a la herpetofauna de Costa Rica.* SSAR Contrib Herpetol., vol. 3. Ithaca, New York.
- Schlegel, H. 1827. *Erpetologische Nachrichten.* Isis von Oken 20(3):cols. 281–294.
- Schleich, H.H. and W. Kastle. 1985. Ultrastrukturen der Zehenunterseiten einiger arborikoler Iguaniden (Reptilia, Sauria, Iguanidae). *Spixiana*

- 8:251–258.
- Schmidt, K.P. 1933. Amphibians and reptiles collected by the Smithsonian Biological Survey of the Panama Canal Zone. *Smithson. Misc. Coll.* 89:1–20.
- . 1941. The amphibians and reptiles of British Honduras. *Field Mus. Nat. Hist., Zool. Ser.* 22:475–510.
- Schmidt, W. and F.-W. Henkel. 1995. *Leguane. Biologie, Haltung und Zucht.* Verlag Eugen Ulmer, Stuttgart.
- Schulte, J.A., II., J.P. Valladares, and A. Larson. 2003. Phylogenetic relationships within Iguanidae inferred using molecular and morphological data and a phylogenetic taxonomy of iguanian lizards. *Herpetologica* 59:399–419.
- Schwenk, K., S.K. Sessions, and D.M. Peccinini-Seale. 1982. Karyotypes of the basiliscine lizards *Corytophanes cristatus* and *Corytophanes hernandesii*, with comments on the relationship between chromosomal and morphological evolution in lizards. *Herpetologica* 38:493–501.
- Scott, N.J., Jr. 1976. The abundance and diversity of the herpetofaunas of tropical forest litter. *Biotropica* 8:41–58.
- , J.M. Savage, and D.C. Robinson. 1983. Checklist of reptiles and amphibians, p. 367–374. *In* D.H. Janzen (ed.), *Costa Rican Natural History.* Univ. Chicago Press, Chicago, Illinois.
- Seba, A. 1734. *Locupletissimi Rerum Naturalium Thesauri Accurata Descriptio, et Iconibus Artificiosissimis Expressio, per Universam Physices Historiam.* Tomus I. Janssonio-Waesbergios, & J. Westenium, & Gul. Smith, Amsterdam.
- Sehnal, P. 1996. Esquinas-Nationalpark, “Regenwald der Österreicher.” Gebietsbeschreibung — Regenwaldbiologie — Naturbeobachtungen, p. 80–111. *In* P. Sehnal and H. Zettel (eds.), *Esquinas-Nationalpark. Der Regenwald der Österreicher in Costa Rica.* Naturhist. Mus. Wien, Wien.
- Slavens, F.L. and K. Slavens. 1998. *Reptiles and Amphibians in Captivity: Breeding — Longevity and Inventory.* Slaveware, Seattle, Washington.
- Smith, H.M. 1938. Notes on reptiles and amphibians from Yucatán and Campeche. *Occ. Pap. Mus. Zool., Univ. Michigan* (388):1–22.
- and R.B. Smith. 1976. Synopsis of the Herpetofauna of Mexico. Volume III. Source Analysis and Index for Mexican Reptiles. John Johnson, North Bennington, Vermont.
- and —. 1993. Synopsis of the Herpetofauna of Mexico. Volume VII. Bibliographic Addendum IV and Index, Bibliographic Addenda II–IV 1979–1991. Univ. Press Colorado, Niwot.
- and E.H. Taylor. 1950a. An annotated checklist and key to the reptiles of Mexico exclusive of the snakes. *Bull. U.S. Natl. Mus.* (199):v + 253 p.
- and —. 1950b. Type localities of Mexican reptiles and amphibians. *Univ. Kansas Sci. Bull.* 33:313–380.
- Snider, A.T. and J.K. Bowler. 1992. Longevity of reptiles and amphibians in North American collections. 2<sup>nd</sup> ed. *SSAR Herpetol. Circ.* (21):iii + 40 p.
- Snyder, R.C. 1952. Quadrupedal and bipedal locomotion of lizards. *Copeia* 1952:64–70.
- . 1954. The anatomy and function of the pelvic girdle and hindlimb in lizard locomotion. *Amer. J. Anat.* 95:1–46.
- Sprackland, R.G. 1977. *All About Lizards.* T.F.H. Pub., Inc., Neptune, New Jersey.
- Stafford, P.J. 1991. Amphibians and reptiles of the Joint Services Scientific Expedition to the upper Raspaculo, Belize, 1991. *British Herpetol. Soc. Bull.* (38):10–17.
- . 1994. Amphibians and reptiles of the upper Raspaculo River Basin, Maya Mountains, Belize. *British Herpetol. Soc. Bull.* (47):23–29.
- and J.R. Meyer. 1999 (“2000”). *A Guide to the Reptiles of Belize.* Academic Press, San Diego, California.
- Stuart, L.C. 1934. A contribution to a knowledge of the herpetological fauna of El Petén, Guatemala. *Occ. Pap. Mus. Zool., Univ. Michigan* (292):1–18.
- . 1935. A contribution to a knowledge of the herpetology of a portion of the savanna region of central Petén, Guatemala. *Univ. Michigan Mus. Zool., Misc. Publ.* (29):1–56, 4 pls., 1 map.
- . 1948. The amphibians and reptiles of Alta Verapaz, Guatemala. *Misc. Publ. Mus. Zool., Univ. Michigan* (69):1–109.
- . 1950. A geographic study of the herpetofauna of Alta Verapaz, Guatemala. *Contrib. Lab. Vert. Biol., Univ. Michigan* (45):1–77, 9 pls., 1 map.
- . 1958. A study of the herpetofauna of the Uaxactún–Tikal area of northern El Petén, Guatemala. *Contrib. Lab. Vert. Biol., Univ. Michigan* (75):1–30.
- . 1963. A checklist of the herpetofauna of Guatemala. *Misc. Publ. Mus. Zool., Univ. Michigan* (122):1–150.
- Taylor, E.H. 1956. A review of the lizards of Costa Rica. *Univ. Kansas Sci. Bull.* 38:1–322.
- Telford, S.R. Jr. 1971. Determination of the onset of yolk deposition in lizards. *Quart. J. Florida Acad. Sci.* 34:78–80.
- . 1977. The distribution, incidence and general ecology of saurian malaria in Middle America. *Intl. J. Parasitol.* 7:299–314.
- Townsend, J.H., J.R. McCranie, and L.D. Wilson. 2004. *Corytophanes.* *Cat. Amer. Amphib. Rept.* (788):1–4.
- Turvey, S.T. and A.G. Cooper. 1999. Amphibians and reptiles of Monkey Bay National Park, Belize. *Herpetol. Bull.* (69):20–30.
- Vargas-S., F. and M.E. Bolanos-L. 1999. Anfíbios y reptiles presentes en habitats perturbados de selva lluviosa tropical en el Bajo Anchicaya, Pacífico Colombiano. *Rev. Acad. Colomb. Cienc.* 23 (supl. esp.):499–511.
- Villa, J. 1983. *Nicaraguan Fishes, Amphibians, and Reptiles. A Checklist and Bibliography.* Peces, Anfíbios y Reptiles Nicaraguensis: Lista y Bibliografía. Univ. Centroamer., Managua.
- , L.D. Wilson, and J.D. Johnson. 1988. *Middle American Herpetology. A Bibliographic Checklist.* Univ. Missouri Press, Columbia.
- Vitt, L.J. 1996. Biodiversity of Amazonian lizards. *Occ. Pap. Mildred E. Mathias Bot. Gard.* (1):89–108.
- and P.A. Zani. 1998. Prey use among sympatric lizard species in lowland rain forest of Nicaragua. *J. Trop. Ecol.* 14:537–559.
- Wagler, J. 1830. *Natürliches System der Amphibien, mit vorangehender Classification der Säugethiere und Vögel. Ein Beitrag zur vergleichenden Zoologie.* J.G. Cotta, München.
- Werner, F. 1896. Beiträge zur Kenntniss der Reptilien und Batrachier von Centralamerika und Chile, sowie einiger seltenerer Schlangenarten. *Verhandl. Zool.-Bot. Gesellsch. Wien* 46:344–365, pl. VI.
- Wilson, L.D. 1983. Update on the list of amphibians and reptiles known from Honduras. *Herpetol. Rev.* 14:125–126.
- and J.R. McCranie. 1994. Second update on the list of amphibians and reptiles known from Honduras. *Herpetol. Rev.* 25:146–150.
- and —. 2002. Update on the list of reptiles known from Honduras. *Herpetol. Rev.* 33:90–94.
- and —. 2004. The conservation status of the herpetofauna of Honduras. *Amphib. Reptile Conserv.* 3:6–33.
- , —, and M.R. Espinal. 2001. The ecogeography of the Honduran herpetofauna and the design of biotic reserves, p. 109–155. *In* J.D. Johnson, R.G. Webb, and O.A. Flores-Villela (eds.), *Mesoamerican Herpetology: Systematics, Zoogeography, and Conservation.* Centennial Mus. Univ. Texas-El Paso Spec. Publ. (1):iv + 200 p.
- Wynne, R.H. 1981. *Lizards in Captivity.* T.F.H. Publ., Inc., Neptune, New Jersey.
- Young, B.E., G. Sedaghatkish, E. Roca, and Q.D. Fuenmayor. 1999. El estatus de la conservación de la herpetofauna de Panamá. Resumen del Primer Taller Internacional sobre la Herpetofauna de Panamá. The Nature Conservancy, Arlington, Virginia.
- Zani, P.A. 1996. Patterns of caudal-autotomy evolution in lizards. *J. Zool. Lond.* 240:201–220.
- . 2000. The comparative evolution of lizard claw and toe morphology and clinging performance. *J. Evol. Biol.* 13:316–325.
- Zug, G.R., L.J. Vitt, and J.P. Caldwell. 2001. *Herpetology. An Introductory Biology of Amphibians and Reptiles.* 2<sup>nd</sup> ed. Academic Press, San Diego, California.

---

**JOSIAH H. TOWNSEND**, Florida Museum of Natural History, Division of Herpetology, University of Florida, Gainesville, FL 32611-7800 (jtownsend@flmnh.ufl.edu), **JAMES R. MCCRANIE**, 10770 SW 164th Street, Miami, FL 33157–2933 (jmccrani@bellsouth.net), and **LARRY DAVID WILSON**, Department of Biology, Kendall Campus, Miami-Dade College, Miami, FL 33176–3393 (lwilson@mdcc.edu).

Primary editor for this account, Andrew H. Price.

Published 30 October 2004 and Copyright © 2004 by the Society for the Study of Amphibians and Reptiles.

---