THE TEXAS STATE HISTORICAL ASSOCIATION NO 37 143804 AUSTIN

Supervising Architect, U. of T.

t231 88 86V

RECEIVED

President Logan Wilson, April 26, 1954, page 2.

April 26, 1954

I know that I can assure you the full cooperation of the President Logan Wilson ee in working with you on the redom The University, magner which you may derire.

Dear President Wilsonregards, I am

I am transmitting to you the unanimous recommendation of the Special Committee for the Eugene C. Barker Texas History Center for the completion of the occupance of the Old Library Building. This recommendation was first called for by President Painter but has been delayed in channels. The complete occupance of the building as originally envisioned could not be effected so long as the Maintenance Department remained in the basement. The Maintenance Department could not move, of course, until the Service Building was ready for occupancy.

Dr. W. J. Battle

I should like to point out that the committee further agrees unanimously that the urgency is in the order of listing. This means that as soon as the basement storage area is completed the Association can transfer the Handbooks now in O. L. B. 104 to the vault area and that O. L. B. 104 will be available for whatever assignment is thought desirable.

I should like to point out also that the Association's part in the recommendation does not include anything particularly material other than the storage area for books and that the bulk of the recommendation concerns the Texas books and archival holdings of the Library.

The total estimates of the architect are \$250,000. Eliminating air conditioning the total is \$100,000.

President Logan Wilson, April 26, 1954, page 2.

I know that I can assure you the full cooperation of the members of the committee in working with you on the recommendation in any manner which you may desire.

With continued regards, I am

Sincerely yours,

H. Bailey Carroll

HBC:rb

cc Dr. A. E. Cooper

Mr. A. Moffit

Dr. W. J. Battle

Mr. R. L. White

Mr. Henry McCown