


References from Mission-Aransas NERR Publications



References are from literature pertaining to the Mission-Aransas NERR, as well as published reports and documents that have been developed from Mission-Aransas NERR programs. Citation format follows the journal: *Estuarine, Coastal and Shelf Science*.

Allen, R.P., 1952. The Whooping Crane. Resource Report no. 3, National Audubon Society, NY, 246 pp.

Anderson, J.B., 2007. The Formation and Future of the Upper Texas Coast: A Geologist Answers Questions About Sand, Storms, and Living by the Sea. Texas A&M University Press, College Station, 163 pp.

Anderson, J.R., Hardy, E.E., Roach, J.T., Witmer, R.E., 1979. A Land-Use and Land-Cover Classification System for Use With Remote-Sensor Data. U.S. Geological Survey Professional Paper No. 964, U.S. Govt. Print. Off., Washington, 28 pp.

Applebaum, S., Montagna, P.A., Ritter, C., 2005. Status and trends of dissolved oxygen in Corpus Christi Bay, Texas, U.S.A. *Environmental Monitoring and Assessment* 107, 297-311.

Armstrong, N.E., 1982. Responses of Texas estuaries to freshwater inflows. In: Kennedy, V.S. (Ed.), *Estuarine Comparisons: Proceedings of the Sixth Biennial International Estuarine Research Conference*. Academic Press, New York, pp. 103-120.

Armsworth, P.R., 2002. Recruitment limitation, population regulation, and larval connectivity in reef fish metapopulations. *Ecology* 83, 1092-1104.

Bhat, S., Hatfield, K., Jacobs, J.M., Lowrance, R., Williams, R., 2007. Surface runoff contribution of nitrogen during storm events in a forested watershed. *Biogeochemistry* 85, 253-262.

Biron, P.M., Roy, A.G., Courschesne, F., Hendershot, W.H., Côté, B., Fyles, J., 1999. The effects of antecedent moisture conditions on the relationship of hydrology to hydrochemistry in a small forested watershed. *Hydrological Processes* 13, 1541-1555.

- Blough, N.V., Del Vecchio, R., 2002. Chromophoric DOM in the coastal environment. In: Hansell, D.A., Carlson, C.A. (Eds.), *Biogeochemistry of Marine Dissolved Organic Matter*. Academic Press, Boston, NY, pp. 209-546.
- Bodzin, A., 2002. LEO EnviroSci inquiry: using the web to learn environmental sciences. *Learning and Leading with Technology* 29, 32-37.
- Booth, G., Raymond, P., Oh, N.-H., 2007. *LoadRunner Software and Manual*, Yale University, New Haven, CT,
- Britton, J.C., Morton, B., 1989. *Shore Ecology of the Gulf of Mexico*. University of Texas Press, Austin, 387 pp.
- Broda, H.W., Baxter, R.E., 2003. Using GIS and GPS Technology as an Instructional Tool. *Social Studies* 94, 158-160.
- Bruun, P., 1962. Sea-level rise as a cause of shore erosion. *Journal of the Waterways and Harbors Division* 88, 117-130.
- Buskey, E.J., Hyatt, C.J., 2006. Use of the FlowCAM for semi-automated recognition and enumeration of red tide cells (*Karenia brevis*) in natural plankton samples. *Harmful Algae* 5, 685-692.
- Campbell, L., Walpert, J.N., Guinasso, N.L., Jr., 2008. A new buoy-based *in situ* optical early warning system for harmful algal blooms in the Gulf of Mexico. *Nova Hedwigia Beihefte* 133, 161-170.
- Carpenter, E.J., Chang, J. 1988. Species-specific phytoplankton growth rates via diel DNA synthesis cycles. I. Concept of the method. *Marine Ecology Progress Series* 43, 105-111.
- Chan, K.S., 2008. TSA: Time Series Analysis. R package version 0.97.
- Chandler, C., Knox, J., Byrd, L. (Eds.), 1981. *Nueces and Mission-Aransas Estuaries: A Study of the Influence of Freshwater Inflows*. Limited Publication 108, Texas Department of Water Resources, Austin, 362 pp.
- Charras, G.T., 2008. A short history of blebbing. *Journal of Microscopy* 231, 466-478.
- Cloern, J.E., 2001. Our evolving conceptual model of the coastal eutrophication problem. *Marine Ecology Progress Series* 210, 223-253.
- Colgan, C.S. 2004. *The National Ocean Economics Project. The Changing Ocean and Coastal Economy of the United States: A Briefing Paper for Governors*. Prepared for National Governors Association.
- Correll, D.L., Jordan, T.E., Weller, D.E., 2001. Effects of precipitation, air temperature, and land use on organic carbon discharges from Rhode River watersheds. *Water, Air, and Soil Pollution* 128, 139-159.
- Cowardin, L.M., Carter, V., Golet, F.C., LaRoe, E.T., 1979. *Classification of Wetlands and Deepwater Habitats of the United States*. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. Jamestown, ND. Northern Prairie Wildlife Research Center.
- Crofutt, S., Smith, E.H., 1997. *Fennessey Ranch Mitigation Bank Proposal*. Mitigation Banking Review Team.

- Dahl, E., Johannessen, T., 2001. Relationship between occurrence of *Dinophysis* species (Dinophyceae) and shellfish toxicity. *Phycologia* 40, 223-227.
- Dalton, S., 2005. Chesapeake Bay, MD National Estuarine Research Reserve Community Characterization. NOAA Coastal Services Center, Huron, Ohio.
- Davis, R.A. Jr., Fingleton, W.G., Allen, G.R. Jr., Creales, C.D., Johanns, W.M., O'Sullivan, J.A., Reive, C.L., Scheetz, S.J., Stranally, G.L., 1973. Corpus Christi Pass: A hurricane modified tidal inlet on Mustang Island, Texas. *Contributions in Marine Science* 17, 123-131.
- Diaz, R.J., Rosenberg, R., 2008. Spreading dead zones and consequences for marine ecosystems. *Science* 321, 926-929.
- Diener, R.A., 1975. Cooperative Gulf of Mexico Estuarine Inventory and Study, Texas: Area Description. NOAA Technical Report NMFS CIRC 393, U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Seattle, WA, 129 pp.
- Doherty, P., 1998. Recruitment-limitation: definitions, predictions and tests. *ReefFish '95: Recruitment and Population Dynamics of Coral Reef Fisheries*. CRC Reef Research Centre, Townsville, Australia, pp. 129-131.
- Douglas, B.C., 1991. Global sea level rise. *Journal of Geophysical Research* 96, C4, 6981-6992.
- Duarte, C.M., 1995. Submerged aquatic vegetation in relation to different nutrient regimes. *Ophelia* 41, 87-112.
- Dunton, K.H., 1994. Seasonal growth and biomass of the subtropical seagrass *Halodule wrightii* in relation to continuous measurements of underwater irradiance. *Marine Biology* 120, 479-489.
- Dunton, K.H., Hardegree, B., Whittedge, T.E., 2001. Response of estuarine marsh vegetation to interannual variations in precipitation. *Estuaries* 24, 851-861.
- Emanuel, K., 2005. Increasing destructiveness of tropical cyclones over the past 30 years. *Nature* 436, 686-688.
- Environmental Systems Research Institute, 1998. *Explore Your World with a Geographic Information System: A Teaching Supplement for Grades 5-12 Introducing GIS concepts and Components*. Environmental Systems Research Institute, Redlands, CA.
- Environmental Systems Research Institute, 2006. www.esri.com Accessed August 3, 2007. GIS Data Dictionary.
- Escalera, L., Reguera, B., 2008. Planozygote division and other observations on the sexual cycle of several species of *Dinophysis* (Dinophyceae, Dinophysiales). *Journal of Phycology* 44, 1425-1436.
- Etzold, D.J., Christmas, J.Y., 1979. A Mississippi Marine Finfish Management Plan. MASGP-78-046, Mississippi-Alabama Sea Grant Consortium, Ocean Springs, Miss.

- Everitt, J.H., Judd, F.W., 1989. Using remote sensing techniques to distinguish and monitor black mangrove (*Avicennia germinans*). *Journal of Coastal Research* 5, 737-745.
- FAO, 2007. *The World's Mangroves, 1980-2005: A Thematic Study in the Framework of the Global Forest Resources Assessment 2005*. Forestry paper 153, Food and Agriculture Organization of the United Nations, Rome, 77 pp.
- Field, C.D., 1995. Impact of expected climate change on mangroves. *Hydrobiologia* 295, 75-81.
- Freedman, D., Pisani, R., Purves, R., 1998. *Statistics*. 3d. W.W. Norton, NY, 578 pp.
- Gardner, W.S., McCarthy, M.J., An, S., Sobolev, D., Sell, K.S., Brock, D., 2006. Nitrogen fixation and dissimilatory nitrate reduction to ammonium (DNRA) support nitrogen dynamics in Texas estuaries. *Limnology and Oceanography* 51, 558-568.
- Garcés, E., Delgado, M., Camp, J., 1997. Phased cell division in a natural population of *Dinophysis sacculus* and the *in situ* measurement of potential growth rate. *Journal of Plankton Research* 19, 2067-2077.
- Gaullucci, V.F., Taylor, I.G., Erzini, K., 2006. Conservation and management of exploited shark populations based on reproductive value. *Canadian Journal of Fisheries and Aquatic Sciences* 63, 931-942.
- Gentien, P., Lazure, P., Nezan, E., Lunven, M., Crassous, M.P., Danielou, M.M., 2004. How do the gametes of the rare marine protist *Dinophysis acuminata* mate? *Harmful Algae 2004: Proceedings of the 11th International Conference on Harmful Algae*. NISC Pty. Ltd., Cape Town, South Africa, pp. 121.
- GEOHAB, 2003. *Global Ecology and Oceanography of Harmful Algal Blooms: Implementation Plan*. Gentien, P., Pitcher, G., Cembella, A., and Glibert, P. (Eds.). GEOHAB Report 2, SCOR and IOC, Baltimore and Paris. 36 pp.
- Giacobbe, M.G., Gangemi, E., 1997. Vegetative and sexual aspects of *Dinophysis pavillardii* (Dinophyceae). *Journal of Phycology* 33, 73-80.
- Gibeaut, J.C., Tremblay, T.A., 2003. *Coastal Hazards Atlas of Texas: A Tool for Hurricane Preparedness and Coastal Management-Volume 3, The South Coast*. Bureau of Economic Geology, The University of Texas at Austin, 29 pp.
- Gibeaut, J.C., White, W.A., Smyth, R.C., Andrews, J.R., Tremblay, T.A., Gutiérrez, R., Hepner, T.L., Neuenschwander, A., 2003. Topographic variation of barrier island subenvironments and associated habitats. *Coastal Sediments '03: "Crossing Disciplinary Boundaries": The Fifth International Symposium on Coastal Engineering and Science of Coastal Sediment Processes: Proceedings, May 18-23, 2003*, Clearwater Beach, Florida, USA. CD-ROM, 10 pp.
- Gunter, G., 1945. *Studies on marine fishes of Texas*. Publications of the Institute of Marine Science 1, 1-190.
- Hallegraeff, G.M., 1998. Transport of toxic dinoflagellates via ships' ballast water: bioeconomic risk assessment and efficacy of possible ballast water management strategies. *Marine Ecology Progress Series* 168, 297-309.

- HARRNESS, 2005. Harmful Algal Research and Response: A National Environmental Science Strategy 2005-2015. Ramsdell, J.S., D.M. Anderson and P.M. Glibert (Eds.). Ecological Society of America, Washington, DC. 96 pp.
- Heaton, T.H.E., 1986. Isotopic studies of nitrogen pollution in the hydrosphere and atmosphere: a review. *Chemical Geology: Isotope Geoscience Section* 59, 87-102.
- Helsel, D.R., Hirsch, R.M., 2002. *Statistical Methods in Water Resources*. Techniques of water-resources investigations, Book 4, Chapter A3, U.S. Geological Survey, Reston, VA, 522 pp.
- Henrichs, D.W., Renshaw, M.A., Santamaria, C.A., Richardson, B., Gold, J.R., Campbell, L., 2008. PCR amplification of microsatellites from single cells of *Karenia brevis* preserved in Lugol's iodine solution. *Marine Biotechnology* 10, 122-127.
- Hilborn, R., Branch, T.A., Ernst, B., Magnussum, A., Minte-Vera, C.V., Scheurell, M.D., Valero, J.L., 2003. State of the world's fisheries. *Annual Review of Environment and Resources* 28, 359-399.
- Hill, A.R., 1993. Nitrogen dynamics of storm runoff in the riparian zone of a forested watershed. *Biogeochemistry* 20, 19-44.
- Hinrichsen, D., 1998. *Coastal Waters of the World: Trends, Threats, and Strategies*. Island Press, Washington, DC, 275 pp.
- Hixon, M.A., 1998. Population dynamics of coral-reef fishes: controversial concepts and hypotheses. *Australian Journal of Ecology* 23, 192-201.
- Howarth, R.W., Fruci, J.R., Sherman, D., 1991. Inputs of sediment and carbon to an estuarine ecosystem: influence of land use. *Ecological Applications* 1, 27-39.
- IMO/FAO/UNESCO/WMO/WHO/IAEA/UN/UNEP Joint Group of Experts on the Scientific Aspects of Marine Pollution, 2001. *Protecting the Oceans From Land-based Activities: Land-based Sources and Activities Affecting the Quality and Uses of the Marine, Coastal and Associated Freshwater Environment*. Reports and studies no. 71, GESAMP, The Hague. 162 pp.
- IPCC, 2001a. *Climate Change 2001: Impacts, Adaptation, and Vulnerability*. Contribution of Working Group II to the Third Assessment Report of the Intergovernmental Panel on Climate Change [McCarthy, J.J., O.F. Canziani, N.A. Leary, D.J. Dokken and K.S. White (eds.)]. Cambridge University Press, Cambridge, UK and New York, NY, 1032 pp.
- IPCC, 2001b. *Climate Change 2001: The Scientific Basis*. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change [Houghton, J.T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.)]. Cambridge University Press, Cambridge, UK and New York, NY, 881 pp.
- IPCC, 2007. *Climate Change 2007: The Physical Science Basis*. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, UK and New York, NY, 996 pp.

IUCN-CMP, 2006. Unified Classification of Direct Threats.

Jackson, J.B.C., Kirby, M.X., Berger, W.H., Bjorndal, K.A., Botsford, L.W., Bourque, B.J., Bradbury, R.H., Cooke, R., Erlandson, J., Estes, J.A., Hughes, T.P., Kidwell, S., Lange, C.B., Lenihan, H.S., Pandolfi, J.M., Peterson, C.H., Steneck, R.S., Tegner, M.J., Warner, R.R., 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science* 293, 629-637.

Jamet, J.-L., Jean, N., Bogé, G., Richard, S., Jamet, D., 2005. Plankton succession and assemblage structure in two neighbouring littoral ecosystems in the north-west Mediterranean Sea. *Marine and Freshwater Research* 56, 69-83.

Jones, M.N. 1984. Nitrate reduction by shaking with cadmium: alternative to cadmium columns. *Water Resources* 18, 643-646.

Judd, F.W., 2002. Tamaulipan biotic province. In: Tunnell, J.W. Jr., Judd, F.W. (Eds.), *The Laguna Madre of Texas and Tamaulipas*. Texas A&M University Press, College Station, pp. 38-58.

Kathiresan, K., Bingham, B.L., 2001. Biology of mangroves and mangrove ecosystems. *Advances in Marine Biology* 40, 81-251.

Kendall, C., Silva, S.R., Kelly, V.J., 2001. Carbon and nitrogen isotopic compositions of particulate organic matter in four large river systems across the United States. *Hydrological Process* 15, 1301-1346.

Kerski, J.J., 2001. A national assessment of GIS in American high schools. *International Research in Geographical and Environmental Education*. 10, 72-84.

Kim, S., Kang, Y.G., Kim, H.S., Yih, W., Coats, D.W., Park, M.G., 2008. Growth and grazing responses of the mixotrophic dinoflagellate *Dinophysis acuminata* as functions of light intensity and prey concentration. *Aquatic Microbial Ecology* 51, 301-310.

King III, B.D., 1971. Study of Migratory Patterns of Fish and Shellfish Through a Natural Pass. Technical Series Number 9, Texas Parks and Wildlife Department, Austin, Texas, 54 pp.

Kinney, M.J., Simpfendorfer, C.A., 2009. Reassessing the value of nursery areas to shark conservation and management. *Conservation Letters* 2, 53-60.

Kopecky, A.L., Dunton, K.H., 2006. Variability in drift macroalgal abundance in relation to biotic and abiotic factors in two seagrass dominated estuaries in the western Gulf of Mexico. *Estuaries and Coasts* 29, 617-629.

Koukaras, K., Nikolaidis, G., 2004. *Dinophysis* blooms in Greek coastal waters (Thermaikos Gulf, NW Aegean Sea). *Journal of Plankton Research* 26, 445-457.

Kutcher, T.E., Garfield, N.H., Raposa, K.B., 2005. A Recommendation for a Comprehensive Habitat and Land Use Classification System for the National Estuarine Research Reserve System, draft.

Labuda, S.E., Butts, K.O., 1979. Habitat use by wintering whooping cranes on the Aransas National Wildlife Refuge. Proceedings of the 1978 International Crane Workshop. International Crane Foundation, Baraboo, Wisconsin, pp. 152-157.

- Larkin, T.J., Bomar, G.W., 1983. Climatic Atlas of Texas. Texas Dept. of Water Resources, Austin, Texas, 151 pp.
- Licea, S., Zamudio, M.E., Luna, R., Soto, J., 2004. Free-living dinoflagellates in the southern Gulf of Mexico: report of data (1979-2002). *Phycological Research* 52, 419-428.
- Lin, S., Zhang, H., Spencer, D.F., Norman, J.E., Gray, M.W., 2002. Widespread and extensive editing of mitochondrial mRNAs in dinoflagellates. *Journal of Molecular Biology* 320, 727-739.
- Longley, W.L., 1994. Freshwater Inflows to Texas Bays and Estuaries: Ecological Relationships and Methods for Determination of Needs. Texas Water Development Board, Austin, Texas, 386 pp.
- Longley, W.L., 1995. Estuaries. In: North, G.R., Schmandt, J., Clarkson, J. (Eds.), *The Impact of Global Warming on Texas: A Report of the Task Force on Climate Change in Texas*, University of Texas Press, Austin, pp. 88-118.
- Lot Helgueras, A., Vazquez-Yanes, C., Menendez, F., 1975. Physiognomic and floristic changes near the northern limit of mangroves in the Gulf coast of Mexico. *Proceedings of the International Symposium on Biology and Management of Mangroves*, Vol. 1. Institute of Food and Agricultural Sciences, University of Florida, Gainesville, pp. 52-61.
- Lugo, A.E., Sanchez, M.J., Brown, S., 1986. Land use and organic carbon content of some subtropical soils. *Plant and Soil* 96, 185-196.
- Machlis, M.G., Burch Jr., W.R., 1983. Relations between strangers: cycles of structure and meaning in tourist systems. *Sociological Review* 31, 666-692.
- MacIntyre, S., Flynn, K.M., Jellison, R., Romero, J.R., 1999. Boundary mixing and nutrient fluxes in Mono Lake, California. *Limnology and Oceanography* 44, 512-529.
- Maranda, L., Shimizu, Y., 1987. Diarrhetic shellfish poisoning in Narragansett Bay. *Estuaries* 10, 298-302.
- Martinez-Andrade, F., Fisher, M., Bowling, B., Balboa, B., 2009. *Marine Resource Monitoring Operations Manual*. Texas Parks and Wildlife Department. Coastal Fisheries Division.
- Matlock, G.C., 1991. Growth, mortality, and yield of southern flounder in Texas. *Northeast Gulf Science* 12, 61-65.
- McClelland, J.W., Valiela, I., 1998. Linking nitrogen in estuarine producers to land-derived sources. *Limnology and Oceanography* 43, 577-585.
- McDuff, R.E., Chisholm, S.W., 1982. The calculation of *in situ* growth rates of phytoplankton populations from fractions of cells undergoing mitosis: a clarification. *Limnology and Oceanography* 27, 783-788.
- McLachlan, J.L., 1993. Evidence for sexuality in a species of *Dinophysis*. *Toxic Phytoplankton Blooms in the Sea: Proceedings of the Fifth International Conference on Toxic Marine Phytoplankton*. Elsevier, Amsterdam and New York, pp. 143-146.

- McMillan, C., 1975. Adaptive differentiation to chilling in mangrove populations. Proceedings of the International Symposium on Biology and Management of Mangroves, Vol. 1. Institute of Food and Agricultural Sciences, University of Florida, Gainesville, pp. 62-68.
- McNabb, P., Selwood, A.I., Holland, P.T., Aasen, J., Aune, T., Eaglesham, G., Hess, P., Igarishi, M., Quilliam, M., Slattery, D., Van de Riet, J., Van Egmond, H., Van den Top, H., Yasumoto, T., 2005. Multiresidue method for determination of algal toxins in shellfish: single-laboratory validation and interlaboratory study. *Journal of AOAC International* 88, 761-772.
- Meyer, J.L., McDowell, W.H., Bott, T.L., Elwood, J.W., Ishizaki, C., Melack, J.M., Peckarsky, B.L., Peterson, B.J., Rublee, P.A., 1988. Elemental dynamics in streams. *Journal of the North American Benthological Society* 7, 410-432.
- Miller, L., Douglas, B.C., 2004. Mass and volume contributions to twentieth-century global sea level rise. *Nature* 428, 406-409.
- Min, D., 2008. High frequency and multi-parameter observation of land-sea connection at the Aransas Pass tidal inlet, south Texas in Summer 2008. EOS Transactions AGU 89, Fall Meeting, Supplement Abstract OS21C-1196.
- Montagna, P.A., Gibeaut, J.C., Tunnell, J.W. Jr., 2007. South Texas climate 2100: coastal impacts. In: Norwine, J., John, K. (Eds.), *The Changing Climate of South Texas 1900-2100: Problems and Prospects, Impacts and Implications*, Texas A&M University-Kingsville, pp. 57-77.
- Montagna, P.A., Holt, S.A., Ritter, M.C., Herzka, S., Binney, K.F., Dunton, K.H., 1998. Characterization of Anthropogenic and Natural Disturbance on Vegetated and Unvegetated Bay Bottom Habitats in the Corpus Christi Bay National Estuary Program Study Area. Publication CCBNEP-25A, Texas Natural Resource Conservation Commission, Austin, 108, 23 pp.
- Montagna, P.A., Kalke, R.D., 1992. The effect of freshwater inflow on meiofaunal and macrofaunal populations in the Guadalupe and Nueces Estuaries, Texas. *Estuaries* 15, 307-326.
- Montagnes, D.J., Allen, J., Brown, L., Bulit, C., Davidson, R., Diaz-Avalos, C., Fielding, S., Heath, M., Holliday, N.P., Rasmussen, J., Sanders, R., Waniek, J.J., Wilson, D., 2008. Factors controlling the abundance and size distribution of the phototrophic ciliate *Myrionecta rubra* in open waters of the North Atlantic. *Journal of Eukaryotic Microbiology* 55, 457-465.
- Moore, D.S., McCabe, G.P., 1999. *Introduction to the Practice of Statistics*. 3d. W.H. Freeman, NY, 1 v.
- Morehead, S., Beyer, T.G., Dunton, K., 2007. Community Characterization of the Mission-Aransas National Estuarine Research Reserve and Surrounding Areas. UTMSI Report TR/07-001, University of Texas at Austin, Marine Science Institute, Port Aransas, Texas, 41 leaves.
- Morton, R.A., Bernier, J.C., Barras, J.A., 2006. Evidence of regional subsidence and associated interior wetland loss induced by hydrocarbon production, Gulf Coast region, USA. *Environmental Geology* 50, 261-274.
- Morton, R.A., Paine, J.G., 1984. *Historical Shoreline Changes in Corpus Christi, Oso, and Nueces Bays, Texas Gulf Coast*. Bureau of Economic Geology, The University of Texas at Austin, 66 pp.

- Murphy, J., Riley, J.P., 1962. A modified single solution method for the determination of phosphate in natural waters. *Analytica Chimica Acta* 27, 31-36.
- Nañez-James, S.E., Stunz, G.W., Holt, S., 2009. Habitat use patterns of newly settled southern flounder, *Paralichthys lethostigma*, in Aransas-Copano Bay, Texas. *Estuaries and Coasts* 32, 350-359.
- National Estuarine Research Reserve System (NERRS), 2006. Performance Monitoring Manual [for] the NERRS Coastal Training Program.
- National Safety Council, 1998. Coastal Challenges: A Guide to Coastal and Marine Issues. Environmental Health Center. Washington, DC : National Safety Council.
- National Science and Technology Council. Committee on Environment and Natural Resources, 2000. National Assessment of Harmful Algal Blooms in US Waters. NOAA, Silver Spring, Md. 38 pp.
- Ning, Z.H., Turner, R.E., Doyle, T., Abdollahi, K., 2003. Preparing For a Changing Climate: The Potential Consequences of Climate Variability and Change - Gulf Coast Region. U.S. Environmental Protection Agency, GCRCC and LSU Graphic Services, Baton Rouge, 80 pp.
- NOAA, 1990. Estuaries of the United States: Vital Statistics of a National Resource Base. A special NOAA 20th anniversary report, Strategic Assessment Branch, Ocean Assessments Division, Office of Oceanography and Marine Assessment, National Ocean Service, National Oceanic and Atmospheric Administration, Rockville, Md. 79 pp.
- Olson, R.J., Sosik, H.M., 2007. A submersible imaging-in-flow instrument to analyze nano- and microplankton: Imaging FlowCytobot. *Limnology and Oceanography: Methods* 5, 195-203.
- Orlando, S.P. Jr., Rozas, L.P., Ward, G.H., Klein, C.J., 1993. Salinity Characteristics of Gulf of Mexico Estuaries. Strategic Environmental Assessments Division, Office of Ocean Resources Conservation and Assessment, National Ocean Service, Silver Spring, MD, 209 pp.
- Overpeck, J.T., Otto-Bliesner, B.L., Miller, G.H., Muhs, D.R., Alley, R.B., Kiel, J.T., 2006. Paleoclimatic evidence for future ice-sheet instability and rapid sea-level rise. *Science* 311, 1747-1750.
- Paine, J.G., 1993. Subsidence of the Texas coast: inferences from historical and late Pleistocene sea levels. *Tectonophysics* 222, 445-458.
- Paine, J.G., Morton, R.A., 1993. Historical Shoreline Changes in Copano, Aransas, and Redfish Bays, Texas Gulf Coast. Bureau of Economic Geology, The University of Texas at Austin, 66 pp.
- Park, M.G., Kim, S., Kim, H.S., Myung, G., Kang, Y.G., Yih, W., 2006. First successful culture of the marine dinoflagellate *Dinophysis acuminata*. *Aquatic Microbial Ecology* 45, 101-106.
- Park, M.G., Park, J.S., Kim, M., Yih, W., 2008. Plastid dynamics during survival of *Dinophysis caudata* without its ciliate prey. *Journal of Phycology* 44, 1154-1163.
- Pauly, D., Christensen, V., Guénette, S., Pitcher, T.J., Sumaila, U.R., Walters, C.J., Watson, R., Zeller, D., 2002. Towards sustainability in world fisheries. *Nature* 418, 689-695.

- Perry, M.J., Mackun, P.J., 2001. Population Change and Distribution, Census 2000 Brief. Report C2KBR/01-2, U.S. Census Bureau.
- Peterjohn, W.T., Correll, D.L., 1984. Nutrient dynamics in an agricultural watershed: observations on the role of a riparian forest. *Ecology* 65, 1466-1475.
- Peterson, B.J., Wollheim, W.M., Mulholland, P.J., Webster, J.R., Meyer, J.L., Tank, J.L., Marti, E., Bowden, W.B., Valett, H.M., Hershey, A.E., McDowell, W.H., Dodds, W.K., Hamilton, S.K., Gregory, S., Morrall, D.D., 2001. Control of nitrogen export from watersheds by headwater streams. *Science* 292, 86-90.
- Pinheiro, J., Bates, D., DebRoy, S., Sarkar, D., R Core Team, 2009. nlme: Linear and Nonlinear Mixed Effects Models. R package version 3. 1-93.
- Prouty, J.S., Prouty, D.B., 1989. Historical back barrier shoreline changes, Padre Island National Seashore, Texas. *Gulf Coast Association of Geological Societies Transactions* 39, 481-490.
- Pulich, W. Jr., 2007. Texas coastal bend. In: Handley, L., Altsman, D., DeMay, R. (Eds.), *Seagrass Status and Trends In the Northern Gulf of Mexico: 1940-2002*. Scientific Investigations Report 2006-5287 and U.S. Environmental Protection Agency 855-R-04-003, U.S. Geological Survey, Reston, VA, pp. 41-59.
- Pulich, W. Jr., Blair, C., White, W.A., 1997. Current Status and Historical Trends of Seagrasses in the Corpus Christi Bay National Estuary Program Study Area. Publication CCBNEP-20, Texas Natural Resource Conservation Commission, Austin, Texas, 131 pp.
- Pulich, W. Jr., Scalan, R.S., 1987. Organic carbon and nitrogen flow marine cyanobacteria to semiaquatic insect food webs. *Contributions in Marine Science* 30, 27-37.
- R Development Core Team, 2009. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria, 409 pp.
- Raho, N., Pizarro, G., Escalera, L., Reguera, B., Marin, I., 2008. Morphology, toxin composition and molecular analysis of *Dinophysis ovum* Schütt, a dinoflagellate of the "*Dinophysis acuminata* complex." *Harmful Algae* 7, 839-848.
- Ratzlaff, K.W., 1980. Land-surface Subsidence in the Texas Coastal Region. Open-file report 80-969, U.S. Dept. of the Interior, Geological Survey, Austin, Texas, 19 pp.
- Raymond, P.A., Bauer, J.E., 2001. Riverine export of aged terrestrial organic matter to the North Atlantic Ocean. *Nature* 409, 497-500.
- Reed, S.B., 2008. Economic News Release: Consumer Price Index Summary. Bureau of Labor Statistics.
- Reguera, B., Garces, E., Pazos, Y., Bravo, I., Ramilo, I., González-Gill, S., 2003. Cell cycle patterns and estimates of *in situ* division rates of dinoflagellates of the genus *Dinophysis* by a postmitotic index. *Marine Ecology Progress Series* 249, 117-131.
- Reguera, B., González-Gil, S., 2001. Small cell and intermediate cell formation in species of *Dinophysis* (Dinophyceae, Dinophysiales). *Journal of Phycology* 37, 318-333.

- Reguera, B., González-Gil, S., Delgado, M., 2007. *Dinophysis diegensis* is a life history stage of *Dinophysis caudata* (Dinophyceae, Dinophysiales). *Journal of Phycology* 43, 1083-1093.
- Reschovsky, C.A., 2004. Journey to Work: 2000: Census 2000 Brief. Report C2KBR-33, U.S. Census Bureau, Washington, DC.
- Riechers, R., 2008. Regulations Committee Southern Flounder Update. Texas Parks and Wildlife Department Regulation Committee, Houston, TX.
- Rignot, E., Kanagaratnam, P., 2006. Changes in the velocity structure of the Greenland Ice Sheet. *Science* 311, 986-990.
- Robinson, L.P., Campbell, R.P., Butler, L., 1994. Trends in Texas Commercial Fishery Landings, 1972-1993. Management Data Series no. 111, Texas Parks and Wildlife Department, Coastal Fisheries Branch, Austin.
- Rogers, B.D., Herke, W.H., 1985. Temporal Patterns and Size Characteristics of Migrating Juvenile Fishes and Crustaceans in a Louisiana Marsh. Research Report Number 5, School of Forestry, Wildlife, and Fisheries, Louisiana Agricultural Experiment Station, Louisiana State University Agricultural Center, Baton Rouge, 81 pp.
- Runkel, R.L., Crawford, C.G., Cohn, T.A., 2004. Load Estimator (LOADEST): A FORTRAN Program for Estimating Constituent Loads in Streams and Rivers. Techniques and methods, Book 4, Chapter A5, U.S. Geological Survey, Reston, Va., 69 pp.
- Rusjan, S., Brilly, M., Mikos, M., 2008. Flushing of nitrate from a forested watershed: An insight into hydrological nitrate mobilization mechanisms through seasonal high-frequency stream nitrate dynamics. *Journal of Hydrology* 354, 187-202.
- Russell, M.J., Montagna, P.A., Kalke, R.D., 2006. The effect of freshwater inflow on net ecosystem metabolism in Lavaca Bay, Texas. *Estuarine, Coastal and Shelf Science* 68, 231-244.
- SAS Institute Inc., 2004. SAS/STAT® 9.1 User's Guide. SAS Institute Inc., Cary, NC.
- SAS Institute Inc., 2006. SAS® 9.1.3 Language Reference: Dictionary, Fifth Edition, Volumes 1-4. SAS Institute Inc., Cary, NC.
- Seager, R., Ting, M.F., Held, I., Kushnir, Y., Lu, J., Vecchi, G., Huang, H.P., Harnik, N., Leetmaa, A., Lau, N.C., Li, C.H., Velez, J., Naik, N., 2007. Model projections of an imminent transition to a more arid climate in southwestern North America. *Science* 316, 1181-1184.
- Sharp, J.M. Jr., Raymond, R.H., Germiot, S.J., Paine, J.G., 1991. Re-evaluation of the causes of subsidence along the Texas Gulf of Mexico coast and some extrapolations of future trends. Land Subsidence: Proceedings of the Fourth International Symposium on Land Subsidence. IAHS-AISH publication 200, International Association of Hydrological Sciences, Delft, The Netherlands, pp. 397-405.
- Shaunessy, E., Page, C., 2006. Promoting inquiry in the gifted classroom through GPS and GIS technologies. *Gifted Child Today* 29, 42-53.

- Shepherd, A., Wingham, D., 2007. Recent sea-level contributions of the Antarctic and Greenland Ice Sheets. *Science* 315, 1529-1532.
- Sherrod, C.L., 1980. Present and Past Distribution of Black Mangrove (*Avicennia germinans* [L.] L.) on the Texas Gulf Coast. M.A. Thesis, The University of Texas at Austin. 66 pp.
- Sherrod, C.L., McMillan, C., 1981. Black mangrove, *Avicennia germinans*, in Texas: past and present distribution. *Contributions in Marine Science* 24, 115-131.
- Sherrod, C.L., McMillan, C., 1985. The distributional history and ecology of mangrove vegetation along the Northern Gulf of Mexico coastal region. *Contributions in Marine Science* 28, 129-140.
- Silberstein, K., Chiffings, A.W., McComb, A.J., 1986. The loss of seagrass in Cockburn Sound, Western Australia. III. The effect of epiphytes on productivity of *Posidonia australis* Hook. *F. Aquatic Botany* 24, 355-371.
- Simmons, E.G., Hoese, H.D., 1959. Studies on the hydrography and fish migration of Cedar Bayou, a natural tidal inlet on the central Texas coast. *Publications of the Institute of Marine Science* 6, 56-80.
- Smith, E.H., Dilworth, S.J. 1990s. Mission/Aransas Watershed Wetland Conservation Plan. Texas General Land Office, Coastal Division, Austin, Texas, 99 pp.
- Solow, A., Davis, C., Hu, Q., 2001. Estimating the taxonomic composition of a sample when individuals are classified with error. *Marine Ecology Progress Series* 216, 309-311.
- Sosik, H.M., Olson, R.J., 2007. Automated taxonomic classification of phytoplankton sampled with imaging-in-flow cytometry. *Limnology and Oceanography: Methods* 5, 204-216.
- Sosik, H.M., Olson, R.J., Armbrust, E.V., 2010. Flow cytometry in plankton research. In: Suggett, D.J., Prášil, O., Borowitzka, M.A. (Eds.), *Chlorophyll a Fluorescence in Aquatic Sciences: Methods and Applications*. Springer, Dordrecht, The Netherlands, pp. 171-185.
- Spalding, M., Kainuma, M., Collins, L., 2009. *World Atlas of Mangroves*. Earthscan, London, Washington, DC, 304 pp.
- Stehn, T.V., Johnson, E.F., 1987. The distribution of winter territories of the whooping crane on the Texas coast. *Proceedings of 1985 International Crane Workshop*. JPlatte River Whooping Crane Habitat Maintenance Trust and USFWS, International Crane Foundation, Baraboo, Wis. pp. 180-195.
- Stevenson, J.O., Griffith, R.W., 1946. Winter life of the whooping crane. *Condor* 48, 178.
- Stokes, G.M., 1977. Life History Studies of Southern Flounder (*Paralichthys lethostigma*) and Gulf Flounder (*P. albigutta*) in the Aransas Bay Area of Texas. Technical Series Number 25, Texas Parks and Wildlife Department, Austin, 37 pp.
- Strickland, J.D.H., Parsons, T.R., 1972. *A Practical Handbook of Seawater Analysis*, 2nd ed. Bulletin 167, Fisheries Research Board of Canada, Ottawa, 310 pp.

- Stunz, G.W., Linton, T.L., Colura, R.L., 2000. Age and growth of southern flounder in Texas waters, with emphasis on Matagorda Bay. *Transactions of the American Fisheries Society* 129, 119-125.
- Suttle, C.A., 1993. Enumeration and isolation of viruses. In: Kemp, P.F., Sherr, B.F., Sherr, E.B., Cole, J.J. (Eds.), *Handbook of Methods in Aquatic Microbial Ecology*. Lewis Publishers, Boca Raton, pp. 121-134.
- Swanson, K.M., 2008. The 2008 Texas *Dinophysis acuminata* Bloom: Distribution and Toxicity. M.S. Thesis, The University of Texas at Austin, 101 pp.
- Tango, P., Butler, W., Lacouture, R., Goshorn, D., Magnien, R., Michael, B., Hall, S., Browhawn, K., Wittman, R., Betty, W., 2004. An unprecedented bloom of *Dinophysis acuminata* in Chesapeake Bay. *Harmful Algae 2002: Proceedings of the 10th International Conference on Harmful Algae*. Florida Fish and Wildlife Conservation Commission, Florida Institute of Oceanography, St. Petersburg, Florida, and IOC-UNESCO, Paris, pp. 358-363.
- Teeri, J.A., Stowe, L.G., 1976. Climatic patterns and the distribution of C₄ grasses in North America. *Oecologia* 23, 1-12.
- Tolan, J.M., 2007. El Niño-Southern Oscillation impacts translated to the watershed scale: estuarine salinity patterns along the Texas Gulf coast, 1982 to 2004. *Estuarine, Coastal and Shelf Science* 72, 247-260.
- Tomasko, D.A., Lapointe, B.E., 1991. Productivity and biomass of *Thalassia testudinum* as related to water column nutrient availability and epiphyte levels: field observations and experimental studies. *Marine Ecology Progress Series* 75, 9-17.
- Tomlinson, P.B., 1986. *The Botany of Mangroves*. Cambridge University Press, Cambridge, UK, 413 pp.
- Tremblay, T.A., Vincent, J.S., Calnan, T.R., 2008. Status and Trends of Inland Wetland and Aquatic Habitat in the Corpus Christi Area. Publication CBBEP 55, Bureau of Economic Geology, The University of Texas at Austin, 89 pp.
- Tunnell, J.W. Jr., 2002. The Environment. In: Tunnell, J.W. Jr., Judd, F.W. (Eds.), *The Laguna Madre of Texas and Tamaulipas*, Texas A&M University Press, College Station, pp. 73-84.
- Tunnell, J.W. Jr., Dokken, Q.R., Smith, E.H., Withers, K., 1996. Current Status and Historical Trends of the Estuarine Living Resources Within the Corpus Christi Bay National Estuary Program Study Area. Volume 1. Publication CCBNEP 06-A, Texas Natural Resource Conservation Commission, Austin, 1 v.
- Twilley, R.R., Barron, E.J., Gholz, H.L., Harwell, M.A., Miller, R.L., Reed, D.J., Rose, J.B., Siemann, E.H., Wetzel, R.G., Zimmerman, R.J., 2001. *Confronting Climate Change in the Gulf Coast Region: Prospects for Sustaining Our Ecological Heritage*. Union of Concerned Scientists, Cambridge, Massachusetts, and Ecological Society of America, Washington, D.C., 82 pp.
- U.S. Census Bureau, 2007. *Population Estimates*.
- U.S. Dept. of Commerce, NOAA National Ocean Service, Office of Ocean and Coastal Resource Management, Estuarine Reserves Division, 2006. *Final Programmatic Environmental Impact Statement: Federal Approval of the Texas National Estuarine Research Reserve and Management Plan, the Mission-Aransas Estuary*. National Oceanic and Atmospheric Administration, Silver Spring, MD, 1 v.

- U.S. Environmental Protection Agency, 2009. Water discharge permits (PCS).
- University of Queensland, 2008. Systematic Conservation Planning with Marxan and Marzone. University of Queensland, Brisbane, Australia.
- University of Utah Climatology Database, 2009. Department of Meteorology, National normal monthly rainfall.
- Valiela, I., Foreman, K., LaMontagne, M., Hersh, D., Costa, J., Peckol, P., Demeo-Anderson, B., D'Avanzo, C., Babione, M., Sham, C.-H., Brawley, J., Lajtha, K., 1992. Couplings of watersheds and coastal waters: sources and consequences of nutrient enrichment in Waquoit Bay, Massachusetts. *Estuaries and Coasts* 15, 443-457.
- van der Veer, H.W., Berghahn, R., Miller, J.M., Rijnsdorp, A.D., 2000. Recruitment in flatfish, with special emphasis on North Atlantic species: progress made by the Flatfish Symposia. *ICES Journal of Marine Science* 57, 202-215.
- VanderKooy, S.J., 2000. The Flounder Fishery of the Gulf of Mexico, United States: A Regional Management Plan. Gulf States Marine Fisheries Commission (Series) no. 83, Gulf States Marine Fisheries Commission, Ocean Springs, Miss., 1 v.
- Vaulot, D., 1992. Estimate of phytoplankton division rates by the mitotic index method: the f_{max} approach revisited. *Limnology and Oceanography* 37, 644-649.
- Vitousek, P.M., Aber, J.D., Howarth, R.W., Likens, G.E., Matson, P.A., Schindler, D.W., Schlesinger, W.H., Tilman, D.G., 1997. Human alteration of the global nitrogen cycle: sources and consequences. *Ecological Applications* 7, 737-750.
- Walker, S.P., Garfield, N.H., 2005. Recommended Guidelines for Adoption and Implementation of the NERRS Comprehensive Habitat and Land Use Classification System. Companion document to: A Recommendation for a Comprehensive Habitat and Land Use Classification System for the National Estuarine Research Reserve System (NERRS).
- Walling, D.E., 1999. Linking land use, erosion and sediment yields in river basins. *Hydrobiologia* 410, 223-240.
- Webster, P.J., Holland, G.J., Curry, J.A., Chang, H.-R., 2005. Changes in tropical cyclone number, duration, and intensity in a warming environment. *Science* 309, 1844-1846.
- Wentz, F.J., Ricciardulli, L., Hilburn, K., Mears, C., 2007. How much more rain will global warming bring? *Science* 317, 233-235.
- White, W.A., Morton, R.A., Holmes, C.W., 2002. A comparison of factors controlling sedimentation rates and wetland loss in fluvial-deltaic systems, Texas Gulf coast. *Geomorphology* 44, 47-66.
- White, W.A., Morton, R.A., Kerr, R.S., Kuenzi, W.D., Brogden, W.B., 1978. Land and Water Resources, Historical Changes, and Dune Criticality: Mustang and North Padre Islands, Texas. Bureau of Economic Geology, The University of Texas at Austin, 46 pp.
- White, W.A., Tremblay, T.A., Hinson, J., Moulton, D.W., Pulich Jr., W.J., Smith, E.H., Jenkins, K.V., 1998. Current Status and Historical Trends of Selected Estuarine and Coastal Habitats in the Corpus Christi Bay

- National Estuary Program Study Area. Publication CCBNEP 29, Texas Natural Resource Conservation Commission, Austin, 161 pp.
- White, W.A., Tremblay, T.A., Waldinger, R.L., Calnan, T.R., 2002. Status and Trends of Wetland and Aquatic Habitats on Texas Barrier Islands, Matagorda Bay to San Antonio Bay. Final Report prepared for the Texas General Land Office and National Oceanic and Atmospheric Association, GLO Contract No. 01-241-R, 66 pp.
- White, W.A., Tremblay, T.A., Waldinger, R.L., Calnan, T.R., 2006. Status and Trends of Wetland and Aquatic Habitats on Texas Barrier Islands Coastal Bend. Final report, No. NAO4NOS4190058, Bureau of Economic Geology, The University of Texas at Austin, 64 pp.
- Wigglesworth, J.C., 2003. What is the best route? Route-finding strategies of middle school students using GIS. *Journal of Geography* 102, 282-291.
- Williams, H.F.L., 1999. Sand-spit erosion following interruption of longshore sediment transport: Shamrock Island, Texas. *Environmental Geology* 37, 153-161.
- Witek, M., 1998. Annual changes of abundance and biomass of planktonic ciliates in the Gdańsk Basin, southern Baltic. *International Review of Hydrobiology* 83, 163-182.
- Withers, K., 2002. Wind-tidal flats. In: Tunnell, J.W. Jr., Judd, F.W. (Eds.), *The Laguna Madre of Texas and Tamaulipas*, Texas A&M University Press, College Station, pp. 114-126.
- Woods and Poole Economics, Inc. (W&PE), 2003. 2003 Desktop Data Files. Washington, DC : W&PE.
- World Resources Institute (WRI), 2000. *World Resources : 2000-2001*. Washington, DC : WRI.
- Yasumoto, T., Murata, M., Oshima, Y., Sano, M., Matsumoto, G.K., Clardy, J., 1985. *Tetrahedron* 41, 1019-1025.
- Yasumoto, T., Oshima, Y., Sugawara, W., Fukuyo, Y., Oguri, H., Igarashi, T., Fujita, N., 1980. Identification of *Dinophysis fortii* as the causative organism of diarrhetic shellfish poisoning. *Bulletin of the Japanese Society of Scientific Fisheries* 46, 1405-1411.
- Zeileis, A., Hothorn, T., 2002. Diagnostic checking in regression relationships. *R News* 2, 7-10.
- Zerger, A., Bishop, I.D., Escobar, F., Hunter, G.J., 2002. A self-learning multimedia approach for enriching GIS education. *Journal of Geography in Higher Education* 26, 67-80.
- Zervas, C.E., 2001. *Sea Level Variations of the United States, 1854-1999*. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, Md. 66 pp.
- Zimmerman, R.J., Minello, T.J., Klima, E.F., Nance, J.M., 1991. Effects of accelerated sea-level rise on coastal secondary production. *Coastal zone '91: Proceedings of the Seventh Symposium on Coastal and Ocean Management*, Long Beach, California. American Society of Civil Engineers, New York. pp. 110-124.
- Zomlefer, W.B., Judd, W.S., Giannasi, D.E., 2006. Northernmost limit of *Rhizophora* mangle (Red mangrove; Rhizophoraceae) in St. Johns County, Florida. *Castanea* 71, 239-244.

Zuur, A.F., Ieno, E.N., Smith, G.M., 2007. *Analysing Ecological Data*. Springer, New York, 672 pp.

© 2009 The University of Texas Libraries, Marine Science Library, (Rev. March 23 2018)